Index

Orig. Art. Original Article *Clin. Rec.* Clinical Record

AUTHORS

Abramovich, S. and Smelt, G. J. C. Acute sphenoiditis, alone and in concert. *Clin. Rec.*, 751.

Adams, D. A. and Wilmot, T. J. Menière's disease. *Orig. Art.*, 705.

Adekeye, E. O., Edwards, M. B. and Goubran, G. F. Sinus histiocytosis with massive lymphadenopathy in a Nigerian child. *Clin. Rec.*, 89.

Afzelius, L.-E. and Walter, C.-G. The surgical treatment of chronic parotitis. *Orig. Art.*, 1131.

Agarwal, A. K., Prakash, B., Ghosh, P. and Patil, R. N. Extra-nasopharyngeal extensions of angiofibroma. *Clin. Rec.*, 1053.

Al-Mansour, A. H. and Gaafar, H. A. The effect of cigarette smoke on the tracheal mucosa of the rabbit. *Orig. Art.*, 943.

Al-Shihabi, B. M. and Jackson, J. McG. Cervical thymic cyst. *Clin. Rec.*, 181.

Al-Shihabi, B. M. S. and Jackson, J. McG. Dysphagia due to pharyngeal and oesophageal lichen planus. *Clin. Rec.*, 567.

Alajmo, E. and Salimbeni, C. Inferior glottoscopy. *Orig. Art.*, 1013.

Ali, S. and Jones, W. I. Extranasopharyngeal angiofibromas. *Clin. Rec.*, 559.

Ali, S., Watson, J. S. and Bihari, J. Use of the latissimus dorsi myocutaneous flap for total pharyngeal reconstruction. *Orig. Art.*, 837.

Ariel, I., Brama, I., Goldfarb, A. and Shalev, O. Tumour of the nose as a presenting feature of leukaemia. *Clin. Rec.*, 83.

Arnesen, A. R. Presbyacusis—loss of neurons in the human cochlear nuclei. *Orig. Art.*, 503.

Arora, M. M. L., Dutta, B. N., Mann, S. B. S. and Yande, R. Bilateral basal cell carcinoma of the ears. *Clin. Rec.*, 951.

Baarsma, E. A. and Bom, J. W. A. Metastatic hypernephroma in the tonsil. *Clin. Rec.*, 1159.

Bahgat, M. S. and Shenoi, P. M. Sudden sensori-neural hearing loss treated by carbon dioxide and oxygen inhalation. *Clin. Rec.*, 73.

Bailey, C. M. Chondrosarcoma of the nasal septum. *Clin. Rec.*, 459.

Ballantyne, J. C., Evans, E. F. and Morrison, A. W. Electrical auditory stimulation in the management of profound hearing loss. *Orig. Art.*, 811.

Barter, S., Jash, D., MacKinnon, D. M., Carstairs, L. S. and James, D. G. Sarcoidosis of the upper respiratory tract (SURT). *Orig. Art.*, 711.

Barton, R. P. E. A new technique for repair after laryngectomy and subtotal pharyngectomy. *Orig. Art.*, 119.

Barzilay, Z., Yahav, J., Rubinstein, E. and Davidson, S. Bacterial Tracheitis—A true entity? *Clin. Rec.*, 173.

Bassiouny, A., Bucci, T. J., Moawad, M. K., Hendawy, D. S. and Maher, A. Tonsillomycosis. *Orig. Art.*, 229.

Bassiouny, A., Kamel, M., Khalifa, M. C. and Fouly, S. E. Granular myringitis. *Orig. Art.*, 1099.

Bassiouny, A., Maher, A., Bucci, T. J., Moawad, M. K. and Hendawy, D. S. Non-invasive antromycosis. *Orig. Art.*, 215.

Bassiouny, A., Moawad, M. K., Hendawy, D. S. and Maher, A. Otomycosis: An experimental evaluation of six antimycotic agents. *Orig. Art.*, 205.

Belal, A. and Odnert, S. Torps and Porps. *Orig. Art.*, 49.

Belal, A., Jr. Structure of human muscle in facial paralysis. *Orig. Art.*, 325.

Belal, A., Jr. and Sanna, M. Pathology as it relates to ear surgery. Part I. *Orig. Art.*, 1079.

Berco, E., Brown, M., Halevy, A., Sadé, J. and Weinberg, J. The marsupialized (radical) mastoid. *Orig. Art.*, 869.

Bihari, J., Ali, S. and Watson, J. S. Use of the latissimus dorsi myocutaneous flap for total pharyngeal reconstruction. *Orig. Art.*, 837.

Birchall, J. P., Pearman, K., Dawes, J. D. K. and Sykes, B. The collagens of middle-ear structures and tympanosclerotic plaques. *Orig. Art.*, 797.

Black, R. J., Gibson, W. P. R. and Capper, J. W. R. Fluctuating hearing loss in West African and West Indian racial groups: yaws, syphilis or Menière's disease? *Clin. Rec.*, 847.
Bloothooft, G., Tiwari, R. M., Snow, G. B., Lecluse, F. L. E. and Greven, A. J. Observations on surgical rehabilitation of the voice after laryngectomy with Staffieri's method. *Orig. Art.*, 241.
Bom, J. W. A. and Baarsma, E. A. Metastatic hypernephroma in the tonsil. *Clin. Rec.*, 1159.
Booth, J. B. Medical management of sensorineural hearing loss. Part I. *Orig. Art.*, 673. Part II. *Orig. Art.*, 773.
Booth, J. B., Morrison, A. W., Brookes, G. B. and Hodge, R. A. The immediate effects of acetazolamide in Menière's disease. *Orig. Art.*, 57.
Bradley, P. J. Results of surgery for nasal dermoids in children. *Orig. Art.*, 627.
Brama, I., Goldfarb, A., Shalev, O. and Ariel, I. Tumour of the nose as a presenting feature of leukaemia. *Clin. Rec.*, 83.
Bretlau, P., Krogdahl, A., Melchiors, H. and Hastrup, N. Oncocytomas of the salivary glands. *Orig. Art.*, 1027.
Brookes, G. B., Hodge, R. A., Booth, J. B. and Morrison, A. W. The immediate effects of acetazolamide in Menière's disease. *Orig. Art.*, 57.
Brown, M., Halevy, A., Sadé, J., Weinberg, J. and Berco, E. The marsupialized (radical) mastoid. *Orig. Art.*, 869.
Bucci, T. J., Moawad, M. K., Hendawy, D. S., Bassiouny, A. and Maher, A. Non-invasive antromycosis. *Orig. Art.*, 215.
Bucci, T. J., Moawad, M. K., Hendawy, D. S., Maher, A. and Bassiouny, A. Tonsillomycosis. *Orig. Art.*, 229.
Bull, P. D. and Majumdar, B. The incidence and bacteriology of maxillary sinusitis in nasal polyposis. *Orig. Art.*, 937.

Cable, H. R. and Marshall, F. P. F. The effect of nitrous oxide on middle-ear effusions. *Orig. Art.*, 893.
Cable, H. R. and Tadros, S. Tympanic membrane retraction and middle-ear pressure. *Orig. Art.*, 113.
Campbell, R., Kerr, A. G., Smyth, G. D. L. and Gordon, D. S. The facial nerve in acoustic neuroma surgery. *Orig. Art.*, 335.
Capper, J. W. R., Black, R. J. and Gibson, W. P. R. Fluctuating hearing loss in West African and West Indian racial groups: yaws, syphilis or Menière's disease? *Clin. Rec.*, 847.
Carbone, A., Volpe, R., Recher, G. and Ferlito, A. Late occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx. *Clin. Rec.*, 759.
Carmody, D., Vamadevan, T. and Cooper, S. M. Post tonsillectomy haemorrhage. *Orig. Art.*, 635.
Carruth, J. A. S. Resection of the tongue with the carbon dioxide laser. *Orig. Art.*, 529.
Carstairs, L. S., James, D. G., Barter, S., Jash, D. and MacKinnon, D. M. Sarcoidosis of the upper respiratory tract (SURT). *Orig. Art.*, 711.
Cathcart, J.-M. Assessment of the value of tocainide hydrochloride in the treatment of tinnitus. *Orig. Art.*, 981.
Chang, S.-K. and Gibb, A. G. Myringoplasty. *Orig. Art.*, 915.
Chapman, P. Naproxen and sudden hearing loss. *Clin. Rec.*, 163.
Chapman, P. Rapid onset hearing loss after Cisplatinum therapy. *Clin. Rec.*, 159.
Chatterji, P., Friedmann, I., Soni, N. K., Solanki, R. L. and Ramdeo, I. N. Bilateral transitional-type inverted papilloma of the nose and paranasal sinuses. *Clin. Rec.*, 281.
Cheesman, A. D., Eden, R. and Perry, A. A modification of the Blom-Singer valve for restoration of voice after laryngectomy. *Orig. Art.*, 1005.
Cheesman, A. D., Radcliffe, G. J. and Mady, S. The use of osteomyocutaneous flaps in mandibular reconstruction. *Orig. Art.*, 1043.
Chen, K. T. K. Myoepithelioma of the external auditory canal. *Clin. Rec.*, 955.
Choudhary, D., Dutt, S. and O'Connor, F. Naso-pharyngeal fibromyxoma. *Clin. Rec.*, 1149.
Cole, I. E. Haemangioendothelioma of the head and neck. *Orig. Art.*, 545.
Cooper, S. M., Carmody, D. and Vamadevan, T. Post tonsillectomy haemorrhage. *Orig. Art.*, 635.
Cowie, R., Douglas-Cowie, E. and Kerr, A. G. A study of speech deterioration in post-lingually deafened adults. *Orig. Art.*, 101.

Dalby, J., Raine, C. H. and Stell, P. M. Squamous cell carcinomas of the posterior wall of the hypopharynx. *Orig. Art.*, 997.

Davey, P. G., Harpur, E. S., Jabeen, F., Shannon, D. and Shenoi, P. M. Variability and habituation of nystagmic responses to hot caloric stimulation of normal subjects. *Orig. Art.*, 599.
Davidson, S., Barzilay, Z., Yahav, J. and Rubinstein, E. Bacterial tracheitis—A true entity? *Clin. Rec.*, 173.
Dawes, J. D. K. and Pearman, K. Post-stapedectomy conductive deafness and results of revision surgery. *Orig. Art.*, 405.
Dawes, J. D. K., Sykes, B., Birchall, J. P. and Pearman, K. The collagens of middle-ear structures and tympanosclerotic plaques. *Orig. Art.*, 797.
Douglas-Cowie, E., Kerr, A. G. and Cowie, R. A study of speech deterioration in post-lingually deafened adults. *Orig. Art.*, 101.
Dutt, S., O'Connor, F. and Choudhary, D. Naso-pharyngeal fibromyxoma. *Clin. Rec.*, 1149.
Dutta, B. N., Mann, S. B. S., Yande, R. and Arora, M. M. L. Bilateral basal cell carcinoma of the ears. *Clin. Rec.*, 951.

Eden, R., Perry, A. and Cheesman, A. D. A modification of the Blom-Singer valve for restoration of voice after laryngectomy. *Orig. Art.*, 1005.
Edwards, M. B., Goubran, G. F. and Adekeye, E. O. Sinus histiocytosis with massive lymphadenopathy in a Nigerian child. *Clin. Rec.*, 89.
El-Ghazali, A. M. S. and El-Ghazali, T. M. S. Granular cell myoblastoma of the larynx. *Clin. Rec.*, 1177.
El-Ghazali, T. M. S. and El-Ghazali, A. M. S. Granular cell myoblastoma of the larynx. *Clin. Rec.*, 1177.
El-Ghazzawi, I., Talaat, M., Elwany, S., Toppozada, H., Michaels, L. and Toppozada, M. The human respiratory nasal mucosa in pregnancy. *Orig. Art.*, 613.
Elwany, S., Toppozada, H., Michaels, L., Toppozada, M., El-Ghazzawi, I. and Talaat, M. The human respiratory nasal mucosa in pregnancy. *Orig. Art.*, 613.
Emery, P. J. and Gore, M. An extensive solitary xanthoma of the temporal bone, associated with hyperlipoproteinaemia. *Clin. Rec.*, 451.
Evans, E. F., Morrison, A. W. and Ballantyne, J. C. Electrical auditory stimulation in the management of profound hearing loss. *Orig. Art.*, 811.

Fairman, H. D. The treatment of head and neck carcinoma with Adriamycin and Bleomycin using adjuvant hyperthermia. *Orig. Art.*, 251.
Fathy, M. and Salama, N. An unusual cause of stridor. *Clin. Rec.*, 361.
Ferlito, A. and Pesavento, G. Haemangiopericytoma of the larynx. *Clin. Rec.*, 1065.
Ferlito, A., Carbone, A., Volpe, R. and Recher, G. Late occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx. *Clin. Rec.*, 759.
Fernandes, C. M. C. and Samuel, J. Spontaneous laryngeal emphysema. *Clin. Rec.*, 959.
Fernandes, C. M. C., Pirie, D. and Pudifin, D. J. Laryngeal amyloidosis. *Clin. Rec.*, 1165.
Flood, L. M. and Fraser, J. G. An audiometric test for perilymph fistula. *Orig. Art.*, 513.
Fogstrup, J., Stoksted, P. and Grymer, L. F. The deflected nose—surgical correction. *Orig. Art.*, 719.
Fortner, J. G. and Papachristou, D. N. Reconstruction of cervical esophagus with a segment of colon based on a long vascular pedicle: An experimental study in ten monkeys. *Orig. Art.*, 135.
Fouly, S. E., Bassiouny, A., Kamel, M. and Khalifa, M. C. Granular myringitis. *Orig. Art.*, 1099.
Fraser, J. G. and Flood, L. M. An audiometric test for perilymph fistula. *Orig. Art.*, 513.
Fried, M. P., Speth, R., Gilman, R. H. and Karmody, C. S. Gigantic obstructing laryngeal polypi. *Clin. Rec.*, 167.
Friedmann, I. McBride and the midfacial granuloma syndrome. *Orig. Art.*, 1.
Friedmann, I., Soni, N. K., Solanki, R. L., Ramdeo, I. N. and Chatterji, P. Bilateral transitional-type inverted papilloma of the nose and paranasal sinuses. *Clin. Rec.*, 281.

Gaafar, H. A. and Al-Mansour, A. H. The effect of cigarette smoke on the tracheal mucosa of the rabbit. *Orig. Art.*, 943.
Gangopadhyay, A. K., Jones, A. J., Robertson, M. J. and Pahor, A. L. Cialit: A study. *Orig. Art.*, 1103.
Ghosh, P., Patil, R. N., Agarwal, A. K. and Prakash, B. Extra-nasopharyngeal extensions of angiofibroma. *Clin. Rec.*, 1053.
Gibb, A. G. and Chang, S.-K. Myringoplasty. *Orig. Art.*, 915.

Gibson, W. P. R., Capper, J. W. R. and Black, R. J. Fluctuating hearing loss in West African and West Indian racial groups: yaws, syphilis or Menière's disease? *Clin. Rec.*, 847.
Gilman, R. H., Karmody, C. S., Fried, M. P. and Speth, R. Gigantic obstructing laryngeal polypi. *Clin. Rec.*, 167.
Girgis, I. H. and Maurice, M. The ossicular system of cats. *Orig. Art.*, 195.
Girgis, I. H., Guirguis, N. N. and Mourice, M. Laryngeal and pharyngeal disorders in vertebral ankylosing hyperostosis. *Orig. Art.*, 659.
Goldfarb, A., Shalev, O., Ariel, I. and Brama, I. Tumour of the nose as a presenting feature of leukaemia. *Clin. Rec.*, 83.
Gordon, D. S., Campbell, R., Kerr, A. G. and Smyth, G. D. L. The facial nerve in acoustic neuroma surgery. *Orig. Art.*, 335.
Gore, M. and Emery, P. J. An extensive solitary xanthoma of the temporal bone, associated with hyperlipoproteinaemia. *Clin. Rec.*, 451.
Goubran, G. F., Adekeye, E. O. and Edwards, M. B. Sinus histiocytosis with massive lymphadenopathy in a Nigerian child. *Clin. Rec.*, 89.
Greven, A. J., Bloothooft, G., Tiwari, R. M., Snow, G. B. and Lecluse, F. L. E. Observations on surgical rehabilitation of the voice after laryngectomy with Staffieri's method. *Orig. Art.*, 241.
Grewal, D. S., Pusalkar, A. G. and Hiranandani, N. L. A surgical technique for reconstruction of full thickness defects of the cheek and lips after cancer surgery. *Orig. Art.*, 1033.
Grymer, L. F., Fogstrup, J. and Stoksted, P. The deflected nose—surgical correction. *Orig. Art.*, 719.
Grymer, L. F., Jørgensen, K. and Lund, C. Carcinoma in a calcified pleomorphic adenoma of the submandibular gland. *Clin. Rec.*, 373.
Guirguis, N. N., Mourice, M. and Girgis, I. H. Laryngeal and pharyngeal disorders in vertebral ankylosing hyperostosis. *Orig. Art.*, 659.

Halevy, A., Sadé, J., Weinberg, J., Berco, E. and Brown, M. The marsupialized (radical) mastoid. *Orig. Art.*, 869.
Hallett, C. P. The screening and epidemiology of middle-ear disease in a population of primary school entrants. *Orig. Art.*, 899.
Harada, Y. and Mangape, D. Scanning electron microscopy of the nerve endings of the outer hair cells in the organ of Corti. *Orig. Art.*, 591.
Harpur, E. S., Jabeen, F., Shannon, D., Shenoi, P. M. and Davey, P. G. Variability and habituation of nystagmic responses to hot caloric stimulation of normal subjects. *Orig. Art.*, 599.
Harrison, D. F. N. Total rhinectomy—a worthwhile operation? *Orig. Art.*, 1113.
Hashash, M., State, F. and Serafy, A. The effect of vinblastine sulphate on the neurological elements of the rabbit cochlea. *Orig. Art.*, 975.
Hastrup, N., Bretlau, P., Krogdahl, A. and Melchiors, H. Oncocytomas of the salivary glands. *Orig. Art.*, 1027.
Hendawy, D. S., Bassiouny, A., Maher, A., Bucci, T. J. and Moawad, M. K. Non-invasive antromycosis. *Orig. Art.*, 215.
Hendawy, D. S., Maher, A., Bassiouny, A. and Moawad, M. K. Otomycosis: An experimental evaluation of six antimycotic agents. *Orig. Art.*, 205.
Hendawy, D. S., Maher, A., Bassiouny, A., Bucci, T. J. and Moawad, M. K. Tonsillomycosis. *Orig. Art.*, 229.
Hiraide, F., Inouye, T. and Miyakogawa, N. Experimental cholesterol granuloma. *Orig. Art.*, 491.
Hiranandani, N. L., Grewal, D. S. and Pusalkar, A. G. A surgical technique for reconstruction of full thickness defects of the cheek and lips after cancer surgery. *Orig. Art.*, 1033.
Hodge, R. A., Booth, J. B., Morrison, A. W. and Brookes, G. B. The immediate effects of acetazolamide in Menière's disease. *Orig. Art.*, 57.
Hordijk, G. J. and Rietema, S. J. Tympanic membrane grafting with fascia, pericardium and vein. *Orig. Art.*, 43.

Ibekwe, A. O. and Ikerionwu, S. E. Heterotopic brain tissue in the palate. *Clin. Rec.*, 1155.
Ijaduola, G. T. A. Lingual and normally located thyroid glands in Nigerian children. *Clin. Rec.*, 177.
Ikerionwu, S. E. and Ibekwe, A. O. Heterotopic brain tissue in the palate. *Clin. Rec.*, 1155.
Inouye, T., Miyakogawa, N. and Hiraide, F. Experimental cholesterol granuloma. *Orig. Art.*, 491.
Ito, A., Nakashima, T. and Kitamura, M. Pleomorphic adenoma of the auricle. *Clin. Rec.*, 1137.

Jabeen, F., Shannon, D., Shenoi, P. M., Davey, P. G. and Harpur, E. S. Variability and habituation of nystagmic responses to hot caloric stimulation of normal subjects. *Orig. Art.*, 599.
Jackson, J. McG. and Al-Shihabi, B. M. Cervical thymic cyst. *Clin. Rec.*, 181.
Jackson, J. McG. and Al-Shihabi, B. M. S. Dysphagia due to pharyngeal and oesophageal lichen planus. *Clin. Rec.*, 567.
James, D. G., Barter, S., Jash, D., MacKinnon, D. M. and Carstairs, L. S. Sarcoidosis of the upper respiratory tract (SURT). *Orig. Art.*, 711.
Jash, D., MacKinnon, D. M., Carstairs, L. S., James, D. G. and Barter, S. Sarcoidosis of the upper respiratory tract (SURT). *Orig. Art.*, 711.
Jayaraj, A. P. Articulating bone formation in the rat tongue. *Orig. Art.*, 665.
Jensen, J. K., Lund, C. and Schlichting, J. Lymphomatoid granulomatosis presenting primarily in a parotid gland. *Clin. Rec.*, 961.
Johnson, A. and Maran, A. G. D. Extra-cranial tumours of the infra-temporal fossa. *Orig. Art.*, 1017.
Jones, A. J., Robertson, M. J., Pahor, A. L. and Gangopadhyay, A. K. Cialit: A study. *Orig. Art.*, 1103.
Jones, W. I. and Ali, S. Extranasopharyngeal angiofibromas. *Clin. Rec.*, 559.
Jørgensen, K., Lund, C. and Grymer, L. F. Carcinoma in a calcified pleomorphic adenoma of the submandibular gland. *Clin. Rec.*, 373.

Kamal, S. A. Orthopaedic theatres: A possible noise hazard? *Orig. Art.*, 985.
Kamel, M., Khalifa, M. C., Fouly, S. E. and Bassiouny, A. Granular myringitis. *Orig. Art.*, 1099.
Kane, R. J., O'Connor, A. F. and Morrison, A. W. Primary basilar impression: an aetiological factor in Menière's disease. *Orig. Art.*, 931.
Kärjä, J. and Pekkarinen, H. Results of long-term ECG monitoring in patients submitting to tonsillectomy under local anaesthesia. *Orig. Art.*, 725.
Karmody, C. S., Fried, M. P., Speth, R. and Gilman, R. H. Gigantic obstructing laryngeal polypi. *Clin. Rec.*, 167.
Karnik, P. P., Kirtane, M. V. and Medikeri, S. B. E.N.G. after head injury. *Orig. Art.*, 521.
Katzke, D. and Sesterhenn, G. Suction-generated noise in the external meatus and sensorineural hearing loss. *Clin. Rec.*, 857.
Kay, N. J. Vocal nodules in children—aetiology and management. *Orig. Art.*, 731.
Kerr, A. G., Cowie, R. and Douglas-Cowie, E. A study of speech deterioration in post-lingually deafened adults. *Orig. Art.*, 101.
Kerr, A. G., Smyth, G. D. L., Gordon, D. S. and Campbell, R. The facial nerve in acoustic neuroma surgery. *Orig. Art.*, 335.
Khalifa, M. C., Fouly, S. E., Bassiouny, A. and Kamel, M. Granular myringitis. *Orig. Art.*, 1099.
Kingsley, D. and O'Connor, A. F. Embolization in otolaryngology. *Orig. Art.*, 439.
Kirchner, J. A. Semon's law a century later. *Orig. Art.*, 645.
Kirtane, M. V., Medikeri, S. B. and Karnik, P. P. E.N.G. after head injury. *Orig. Art.*, 521.
Kitamura, M., Ito, A. and Nakashima, T. Pleomorphic adenoma of the auricle. *Clin. Rec.*, 1137.
Krogdahl, A., Melchiors, H., Hastrup, N. and Bretlau, P. Oncocytomas of the salivary glands. *Orig. Art.*, 1027.

Lancer, J. M. Glass in the frontal sinus. *Clin. Rec.*, 357.
Laskiewicz, B. M. The management of patients undergoing synchonous combined chemotherapy and radiotherapy. *Orig. Art.*, 265.
Lecluse, F. L. E., Greven, A. J., Bloothooft, G., Tiwari, R. M. and Snow, G. B. Observations on surgical rehabilitation of the voice after laryngectomy with Staffieri's method. *Orig. Art.*, 241.
Lund, C., Grymer, L. F. and Jørgensen, K. Carcinoma in a calcified pleomorphic adenoma of the submandibular gland. *Clin. Rec.*, 373.
Lund, C., Schlichting, J. and Jensen, J. K. Lymphomatoid granulomatosis presenting primarily in a parotid gland. *Clin. Rec.*, 961.
Lund, V. Malignant melanoma of the nasal cavity and paranasal sinuses. *Orig. Art.*, 347.
Lund, V. J. Ossifying fibroma. *Clin. Rec.*, 1141.

Mackendrick, A., Solar, M. and Packer, P. What's best in myringoplasty: underlay or overlay, dura or fascia? *Orig. Art.*, 25.
MacKinnon, D. M., Carstairs, L. S., James, D. G., Barter, S. and Jash, D. Sarcoidosis of the upper respiratory tract (SURT). *Orig. Art.*, 711.

Mady, S., Cheesman, A. D. and Radcliffe, G. J. The use of osteomyocutaneous flaps in mandibular reconstruction. *Orig. Art.*, 1043.
Maher, A., Bassiouny, A., Bucci, T. J., Moawad, M. K. and Hendawy, D. S. Tonsillomycosis. *Orig. Art.*, 229.
Maher, A., Bassiouny, A., Moawad, M. K. and Hendawy, D. S. Otomycosis: An experimental evaluation of six antimycotic agents. *Orig. Art.*, 205.
Maher, A., Bucci, T. J., Moawad, M. K., Hendawy, D. S. and Bassiouny, A. Non-invasive antromycosis. *Orig. Art.*, 215.
Majumdar, B. and Bull, P. D. The incidence and bacteriology of maxillary sinusitis in nasal polyposis. *Orig. Art.*, 937.
Mangape, D. and Harada, Y. Scanning electron microscopy of the nerve endings of the outer hair cells in the organ of Corti. *Orig. Art.*, 591.
Mann, S. B. S., Yande, R., Arora, M. M. L. and Dutta, B. N. Bilateral basal cell carcinoma of the ears. *Clin. Rec.*, 951.
Maran, A. G. D. and Johnson, A. Extra-cranial tumours of the infra-temporal fossa. *Orig. Art.*, 1017.
Markides, A. Some unusual cures of deafness. *Orig. Art.*, 479.
Marshall, F. P. F. and Cable, H. R. The effect of nitrous oxide on middle-ear effusions. *Orig. Art.*, 893.
Maurice, M. and Girgis, I. H. The ossicular system of cats. *Orig. Art.*, 195.
McBrien, F. E. The social handicap of deafness. *Orig. Art.*, 577.
McCormick, M. and Timme, A. H. Malakoplakia of the nasopharynx associated with carcinoma. *Clin. Rec.*, 737.
McNicoll, W. D. Middle-ear analysis in the nose/ear distress syndrome. *Orig. Art.*, 309.
Medikeri, S. B., Karnik, P. P. and Kirtane, M. V. E.N.G. after head injury. *Orig. Art.*, 521.
Melchiors, H., Hastrup, N., Bretlau, P. and Krogdahl. A. Oncocytomas of the salivary glands. *Orig. Art.*, 1027.
Michaels, L., Toppozada, M., El-Ghazzawi, I., Talaat, M., Elwany, S. and Toppozada, H. The human respiratory nasal mucosa in pregnancy. *Orig. Art.*, 613.
Miyakogawa, N., Hiraide, F. and Inouye, T. Experimental cholesterol granuloma. *Orig. Art.*, 491.
Moawad, M. K., Hendawy, D. S., Bassiouny, A., Maher, A. and Bucci, T. J. Non-invasive antromycosis. *Orig. Art.*, 215.
Moawad, M. K., Hendawy, D. S., Maher, A. and Bassiouny, A. Otomycosis: An experimental evaluation of six antimycotic agents. *Orig. Art.*, 205.
Moawad, M. K., Hendawy, D. S., Maher, A., Bassiouny, A. and Bucci, T. J. Tonsillomycosis. *Orig. Art.*, 229.
Morrison, A. W., Ballantyne, J. C. and Evans, E. F. Electrical auditory stimulation in the management of profound hearing loss. *Orig. Art.*, 811.
Morrison, A. W., Brookes, G. B., Hodge, R. A. and Booth, J. B. The immediate effects of acetazolamide in Menière's disease. *Orig. Art.*, 57.
Morrison, A. W., Kane, R. J. and O'Connor, A. F. Primary basilar impression: an aetiological factor in Menière's disease. *Orig. Art.*, 931.
Mourice, M., Girgis, I. H. and Guirguis, N. N. Laryngeal and pharyngeal disorders in vertebral ankylosing hyperostosis. *Orig. Art.*, 659.
Mugliston, T. A. H. and von Haacke, N. P. Rhinosporidiosis. *Clin. Rec.*, 743.

Nakashima, T., Kitamura, M. and Ito, A. Pleomorphic adenoma of the auricle. *Clin. Rec.*, 1137.
Nicklasson, B. and Stangeland, N. Wegener's granulomatosis presenting as otitis media. *Clin. Rec.*, 277.
Nicklasson, B. and Sundén, L. Rhinomanometry and septoplasty. *Orig. Art.*, 991.

O'Connor, A. F. and Kingsley, D. Embolization in otolaryngology. *Orig. Art.*, 439.
O'Connor, A. F., Morrison, A. W. and Kane, R. J. Primary basilar impression: an aetiological factor in Menière's disease. *Orig. Art.*, 931.
O'Connor, F., Choudhary, D. and Dutt, S. Naso-pharyngeal fibromyxoma. *Clin. Rec.*, 1149.
Odnert, S. and Belal, A. Torps and Porps. *Orig. Art.*, 49.
Ojala, K., Sorri, M. and Sipilä, P. Post-operative ear canal volume measurements. *Orig. Art.*, 877.
Ojala, K., Sorri, M., Sipilä, P. and Palva, A. Post-operative cholesteatomas and retraction pockets after obliterative surgery in ears without cholesteatoma. *Orig. Art.*, 411.

O'Neill, G., Wilson, F. and Richards, S. H. Middle-ear pressure variations during general anaesthesia. *Orig. Art.*, 883.

Packer, P., Mackendrick, A. and Solar, M. What's best in myringoplasty: underlay or overlay, dura or fascia? *Orig. Art.*, 25.
Pahor, A. L., Gangopadhyay, A. K., Jones, A. J. and Robertson, M. J. Cialit: A study. *Orig. Art.*, 1103.
Palva, A., Ojala, K., Sorri, M. and Sipilä, P. Post-operative cholesteatomas and retraction pockets after obliterative surgery in ears without cholesteatoma. *Orig. Art.*, 411.
Papachristou, D. N. and Fortner, J. G. Reconstruction of cervical esophagus with a segment of colon based on a long vascular pedicle: An experimental study in ten monkeys. *Orig. Art.*, 135.
Papavasiliou, A. and Sawyer, R. Repair of large pharyngeal defects—new applications of split thickness skin graft. *Orig. Art.*, 125.
Patil, R. N., Agarwal, A. K., Prakash, B. and Ghosh, P. Extra-nasopharyngeal extensions of angiofibroma. *Clin. Rec.*, 1053.
Pearman, K. and Dawes, J. D. K. Post-stapedectomy conductive deafness and results of revision surgery. *Orig. Art.*, 405.
Pearman, K., Dawes, J. D. K., Sykes, B. and Birchall, J. P. The collagens of middle-ear structures and tympanosclerotic plaques. *Orig. Art.*, 797.
Pekkarinen, H. and Kärjä, J. Results of long-term ECG monitoring in patients submitting to tonsillectomy under local anaesthesia. *Orig. Art.*, 725.
Perry, A., Cheesman, A. D. and Eden, R. A modification of the Blom-Singer valve for restoration of voice after laryngectomy. *Orig. Art.*, 1005.
Pesavento, G. and Ferlito, A. Haemangiopericytoma of the larynx. *Clin. Rec.*, 1065.
Petersen, J. W. and Steensen, S. H. Repair of a subglottic stenosis by submucosal resection. *Clin. Rec.*, 469.
Phelps, P. D. and Proops, D. W. Computed tomography in E.N.T. practice. *Orig. Art.*, 417.
Pirie, D., Pudifin, D. J. and Fernandes, C. M. C. Laryngeal amyloidosis. *Clin. Rec.*, 1165.
Plester, D. When not to do middle-ear surgery. *Orig. Art.*, 585.
Porte, H. E. Tracheal stenosis: Repair with nasal septum. *Clin. Rec.*, 365.
Prakash, B., Ghosh, P., Patil, R. N. and Agarwal, A. K. Extra-nasopharyngeal extensions of angiofibroma. *Clin. Rec.*, 1053.
Proops, D. W. and Phelps, P. D. Computed tomography in E.N.T. practice. *Orig. Art.*, 417.
Pudifin, D. J., Fernandes, C. M. C. and Pirie, D. Laryngeal amyloidosis. *Clin. Rec.*, 1165.
Pusalkar, A. G., Hiranandani, N. L. and Grewal, D. S. A surgical technique for reconstruction of full thickness defects of the cheek and lips after cancer surgery. *Orig. Art.*, 1033.

Radcliffe, G. J., Mady, S. and Cheesman, A. D. The use of osteomyocutaneous flaps in mandibular reconstruction. *Orig. Art.*, 1043.
Raine, C. H., Stell, P. M. and Dalby, J. Squamous cell carcinomas of the posterior wall of the hypopharynx. *Orig. Art.*, 997.
Ramdeo, I. N., Chatterji, P., Friedmann, I., Soni, N. K. and Solanki, R. L. Bilateral transitional-type inverted papilloma of the nose and paranasal sinuses. *Clin. Rec.*, 281.
Recher, G., Ferlito, A., Carbone, A. and Volpe, R. Late occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx. *Clin. Rec.*, 759.
Richards, S. H., O'Neill, G. and Wilson, F. Middle-ear pressure variations during general anaesthesia. *Orig. Art.*, 883.
Rietema, S. J. and Hordijk, G. J. Tympanic membrane grafting with fascia, pericardium and vein. *Orig. Art.*, 43.
Robertson, M. J., Pahor, A. L., Gangopadhyay, A. K. and Jones, A. J. Cialit: A study. *Orig. Art.*, 1103.
Rosen, G. and Sellars, S. L. The inverted nasal papilloma. *Orig. Art.*, 1109.
Rubinstein, E., Davidson, S., Barzilay, Z. and Yahav, J. Bacterial tracheitis—A true entity? *Clin. Rec.*, 173.

Sadé, J. Treatment of retraction pockets and cholesteatoma. *Orig. Art.*, 685.
Sadé, J., Weinberg, J., Berco, E., Brown, M. and Halevy, A. The marsupialized (radical) mastoid. *Orig. Art.*, 869.
Salama, N. and Fathy, M. An unusual cause of stridor. *Clin. Rec.*, 361.
Salimbeni, C. and Alajmo, E. Inferior glottoscopy. *Orig. Art.*, 1013.

Samuel, J. and Fernandes, C. M. C. Spontaneous laryngeal emphysema. *Clin. Rec.*, 959.
Sanna, M. and Belal, A., Jr. Pathology as it relates to ear surgery. Part I. *Orig. Art.*, 1079.
Sawyer, R. and Papavasiliou, A. Repair of large pharyngeal defects—new applications of split thickness skin graft. *Orig. Art.*, 125.
Schlichting, J., Jensen, J. K. and Lund, C. Lymphomatoid granulomatosis presenting primarily in a parotid gland. *Clin. Rec.*, 961.
Sellars, S. L. and Rosen, G. The inverted nasal papilloma. *Orig. Art.*, 1109.
Serafy, A., Hashash, M. and State, F. The effect of vinblastine sulphate on the neurological elements of the rabbit cochlea. *Orig. Art.*, 975.
Sesterhenn, G. and Katzke, D. Suction-generated noise in the external meatus and sensorineural hearing loss. *Clin. Rec.*, 857.
Shaheen, O. H. Swellings of the infratemporal fossa. *Orig. Art.*, 817.
Shalev, O., Ariel, I., Brama, I. and Goldfarb, A. Tumour of the nose as a presenting feature of leukaemia. *Clin. Rec.*, 83.
Shannon, D., Shenoi, P. M., Davey, P. G., Harpur, E. S. and Jabeen, F. Variability and habituation of nystagmic responses to hot caloric stimulation of normal subjects. *Orig. Art.*, 599.
Shea, J. J. Management of the stapes footplate with special reference to otosclerosis. *Orig. Art.*, 383.
Shenoi, P. M. Autogenous temporalis fascia grafts. *Orig. Art.*, 801.
Shenoi, P. M. and Bahgat, M. S. Sudden sensori-neural hearing loss treated by carbon dioxide and oxygen inhalation. *Clin. Rec.*, 73.
Shenoi, P. M., Davey, P. G., Harpur, E. S., Jabeen, F. and Shannon, D. Variability and habituation of nystagmic responses to hot caloric stimulation of normal subjects. *Orig. Art.*, 599.
Sipilä, P., Ojala, K. and Sorri, M. Post-operative ear canal volume measurements. *Orig. Art.*, 877.
Sipilä, P., Palva, A., Ojala, K. and Sorri, M. Post-operative cholesteatomas and retraction pockets after obliterative surgery in ears without cholesteatoma. *Orig. Art.*, 411.
Smelt, G. J. C. and Abramovich, S. Acute sphenoiditis, alone and in concert. *Clin. Rec.*, 751.
Smyth, G. D. L., Gordon, D. S., Campbell, R. and Kerr, A. G. The facial nerve in acoustic neuroma surgery. *Orig. Art.*, 335.
Snow, G. B., Lecluse, F. L. E., Greven, A. J., Bloothooft, G. and Tiwari, R. M. Observations on surgical rehabilitation of the voice after laryngectomy with Staffieri's method. *Orig. Art.*, 241.
Solanki, R. L., Ramdeo, I. N., Chatterji, P., Friedmann, I. and Soni, N. K. Bilateral transitional-type inverted papilloma of the nose and paranasal sinuses. *Clin. Rec.*, 281.
Solar, M., Packer, P. and Mackendrick, A. What's best in myringoplasty: underlay or overlay, dura or fascia? *Orig. Art.*, 25.
Soni, N. K., Solanki, R. L., Ramdeo, I. N., Chatterji, P. and Friedmann, I. Bilateral transitional-type inverted papilloma of the nose and paranasal sinuses. *Clin. Rec.*, 281.
Sorri, M., Sipilä, P. and Ojala, K. Post-operative ear canal volume measurements. *Orig. Art.*, 877.
Sorri, M., Sipilä, P., Palva, A. and Ojala, K. Post-operative cholesteatomas and retraction pockets after obliterative surgery in ears without cholesteatoma. *Orig. Art.*, 411.
Speth, R., Gilman, R. H., Karmody, C. S. and Fried, M. P. Gigantic obstructing laryngeal polypi. *Clin. Rec.*, 167.
Stangeland, N. and Nicklasson, B. Wegener's granulomatosis presenting as otitis media. *Clin. Rec.*, 277.
State, F., Serafy, A. and Hashash, M. The effect of vinblastine sulphate on the neurological elements of the rabbit cochlea. *Orig. Art.*, 975.
Stearns, M. P. Chemodectoma of the larynx. *Clin. Rec.*, 1181.
Steel, A. An improved myringotome. *Clin. Rec.*, 1187.
Steensen, S. H. and Petersen, J. W. Repair of a subglottic stenosis by submucosal resection. *Clin. Rec.*, 469.
Stell, P. M., Dalby, J. and Raine, C. H. Squamous cell carcinomas of the posterior wall of the hypopharynx. *Orig. Art.*, 997.
Stoksted, P., Grymer, L. F. and Fogstrup, J. The deflected nose—surgical correction. *Orig. Art.*, 719.
Sundén, L. and Nicklasson, B. Rhinomanometry and septoplasty. *Orig. Art.*, 991.
Sykes, B., Birchall, J. P., Pearman, K. and Dawes, J. D. K. The collagens of middle-ear structures and tympanosclerotic plaques. *Orig. Art.*, 797.

Tadros, S. and Cable, H. R. Tympanic membrane retraction and middle-ear pressure. *Orig. Art.*, 113.

Talaat, M., Elwany, S., Toppozada, H., Michaels, L., Toppozada, M. and El-Ghazzawi, I. The human respiratory nasal mucosa in pregnancy. *Orig. Art.*, 613.
Timme, A. H. and McCormick, M. Malakoplakia of the nasopharynx associated with carcinoma. *Clin. Rec.*, 737.
Tiwari, R. M., Snow, G. B., Lecluse, F. L. E., Greven, A. J. and Bloothooft, G. Observations on surgical rehabilitation of the voice after laryngectomy with Staffieri's method. *Orig. Art.*, 241.
Toppozada, H., Michaels, L., Toppozada, M., El-Ghazzawi, I., Talaat, M. and Elwany, S. The human respiratory nasal mucosa in pregnancy. *Orig. Art.*, 613.
Toppozada, M., El-Ghazzawi, I., Talaat, M., Elwany, S., Toppozada, H. and Michaels, L. The human respiratory nasal mucosa in pregnancy. *Orig. Art.*, 613.
Tucker, A. Peritonsillar abscess. *Orig. Art.*, 639.
Tumarkin, A. Bimodal hearing, the controversial second filter, and the mystery of the missing OHC afferents. *Orig. Art.*, 297.
Tumarkin, A. Second thoughts on the second filter. *Orig. Art.*, 971.

Vamadevan, T., Cooper, S. M. and Carmody, D. Post tonsillectomy haemorrhage. *Orig. Art.*, 635.
Volpe, R., Recher, G., Ferlito, A. and Carbone, A. Late occurrence in IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx. *Clin. Rec.*, 759.
von Haacke, N. P. and Mugliston, T. A. H. Rhinosporidiosis. *Clin. Rec.*, 743.

Walter, C.-G. and Afzelius, L.-E. The surgical treatment of chronic parotitis. *Orig. Art.*, 1131.
Watson, J. S., Bihari, J. and Ali, S. Use of the latissimus dorsi myocutaneous flap for total pharyngeal reconstruction. *Orig. Art.*, 837.
Weinberg, J., Berco, E., Brown, M., Halevy, A. and Sadé, J. The marsupialized (radical) mastoid. *Orig. Art.*, 869.
Welch, A. R. The practical and economic value of flexible system laryngoscopy. *Orig. Art.*, 1125.
White, B. D. Singing and science. *Orig. Art.*, 141.
Wilmot, T. J. and Adams, D. A. Menière's disease. *Orig. Art.*, 705.
Wilson, F., Richards, S. H. and O'Neill, G. Middle-ear pressure variations during general anaesthesia. *Orig. Art.*, 883.

Yahav, J., Rubinstein, E., Davidson, S. and Barzilay, Z. Bacterial tracheitis—A true entity? *Clin. Rec.*, 173.
Yande, R., Arora, M. M. L., Dutta, B. N. and Mann, S. B. S. Bilateral basal cell carcinoma of the ears. *Clin. Rec.*, 951.

GENERAL

Abscess, Peritonsillar—A. Tucker. *Orig. Art.*, 639.
Acetazolamide in Menière's disease, The immediate effects of—G. B. Brookes, R. A. Hodge, J. B. Booth and A. W. Morrison. *Orig. Art.*, 57.
Acoustic neuroma surgery, The facial nerve in—G. D. L. Smyth, D. S. Gordon, R. Campbell and A. G. Kerr. *Orig. Art.*, 335.
Acute sphenoiditis, alone and in concert—S. Abramovich and G. J. C. Smelt. *Clin. Rec.*, 751.
Adenoma of the auricle, Pleomorphic—A. Ito, T. Nakashima and M. Kitamura. *Clin. Rec.*, 1137.
Adenoma of the submandibular gland, Carcinoma in a calcified pleomorphic—L. F. Grymer, K. Jørgensen and C. Lund. *Clin. Rec.*, 373.
Adjuvant hyperthermia, The treatment of head and neck carcinoma with Adriamycin and Bleomycin using—H. D. Fairman. *Orig. Art.*, 251.
Adriamycin and Bleomycin using adjuvant hyperthermia, The treatment of head and neck carcinoma with—H. D. Fairman. *Orig. Art.*, 251.
Adults, A study of speech deterioration in post-lingually deafened—R. Cowie, E. Douglas-Cowie and A. G. Kerr. *Orig. Art.*, 101.
Aetiological factor in Menière's disease, an, Primary basilar impression:—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
Aetiology and management, Vocal nodules in children—N. J. Kay. *Orig. Art.*, 731.
Afferents, OHC, Bimodal hearing, the controversial second filter, and the mystery of the missing—A. Tumarkin. *Orig. Art.*, 297.
Agents, antimycotic, An experimental evaluation of six, Otomycosis:—A. Maher, A. Bassiouny, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 205.

Amyloidosis, Laryngeal—C. M. C. Fernandes, D. Pirie and D. J. Pudifin. *Clin. Rec.*, 1165.
Anaesthesia, Middle-ear pressure variations during general—S. H. Richards, G. O'Neill and F. Wilson. *Orig. Art.*, 883.
Anaesthesia, Tonsillectomy under local, Results of long-term ECG monitoring in patients submitting to—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
Analysis in the nose/ear distress syndrome, Middle-ear—W. D. McNicoll. *Orig. Art.*, 309.
Angiofibroma, Extra-nasopharyngeal extensions of—R. N. Patil, A. K. Agarwal, B. Prakash and P. Ghosh. *Clin. Rec.*, 1053.
Angiofibromas, Extranasopharyngeal—S. Ali and W. I. Jones. *Clin. Rec.*, 559.
Ankylosing hyperostosis, vertebral, Laryngeal and pharyngeal disorders in—I. H. Girgis, N. N. Guirguis and M. Mourice. *Orig. Art.*, 659.
Antimycotic agents, An experimental evaluation of six, Otomycosis:—A. Maher, A Bassiouny, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 205.
Antromycosis, Non-invasive—A. Bassiouny, A. Maher, T. J. Bucci, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 215.
Applications of split thickness skin graft, new, Repair of large pharyngeal defects—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
Articulating bone formation in the rat tongue—A. P. Jayaraj. *Orig. Art.*, 665.
Assessment of the value of tocainide hydrochloride in the treatment of tinnitus—J.-M. Cathcart. *Orig. Art.*, 981.
Audiometric test for perilymph fistula, An—J. G. Fraser and L. M. Flood. *Orig. Art.*, 513.
Auditory canal, Myoepithelioma of the external—K. T. K. Chen. *Clin. Rec.*, 955.
Auditory stimulation, Electrical, in the management of profound hearing loss—J. C. Ballantyne, E. F. Evans and A. W. Morrison. *Orig. Art.*, 811.
Auricle, Pleomorphic adenoma of the—A. Ito, T. Nakashima and M. Kitamura. *Clin. Rec.*, 1137.
Autogenous temporalis fascia grafts—P. M. Shenoi. *Orig. Art.*, 801.

Bacterial tracheitis—A true entity?—S. Davidson, Z. Barzilay, J. Yahav and E. Rubinstein. *Clin. Rec.*, 173.
Bacteriology of maxillary sinusitis in nasal polyposis, The incidence and—B. Majumdar and P. D. Bull. *Orig. Art.*, 937.
Basal cell carcinoma of the ears, Bilateral—S. B. S. Mann, R. Yande, M. M. L. Arora and B. N. Dutta. *Clin. Rec.*, 951.
Basilar impression, Primary,: an aetiological factor in MenièRE'S DISEASE–R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
Bilateral basal cell carcinoma of the ears—S. B. S. Mann, R. Yande, M. M. L. Arora and B. N. Dutta. *Clin. Rec.*, 951.
Bilateral transitional-type inverted papilloma of the nose and paranasal sinuses—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
Bimodal hearing, the controversial second filter, and the mystery of the missing OHC afferents—A. Tumarkin. *Orig. Art.*, 297.
Bleomycin using adjuvant hyperthermia, The treatment of head and neck carcinoma with Adriamycin and—H. D. Fairman. *Orig. Art.*, 251.
Blom-Singer valve for restoration of voice after laryngectomy, A modification of the—A. Perry, A. D. Cheesman and R. Eden. *Orig. Art.*, 1005.
Bone formation in the rat tongue, Articulating—A. P. Jayaraj *Orig. Art.*, 665.
Bone, temporal, associated with hyperlipoproteinaemia, An extensive solitary xanthoma of the—P. J. Emery and M. Gore. *Clin. Rec.*, 451.
Brain tissue in the palate, Heterotopic—A. O. Ibekwe and S. E. Ikerionwu. *Clin. Rec.*, 1155.

Calcified pleomorphic adenoma of the submandibular gland, Carcinoma in a—L. F. Grymer, K. Jørgensen and C. Lund. *Clin. Rec.*, 373.
Caloric stimulation of normal subjects, Variability and habituation of nystagmic responses to hot—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Shenoi. *Orig. Art.*, 599.
Canal, ear, volume measurements, Post-operative—K. Ojala, M. Sorri and P. Sipilä. *Orig. Art.*, 877.
Canal, external auditory, Myoepithelioma of the—K. T. K. Chen. *Clin. Rec.*, 955.
Cancer surgery, A surgical technique for reconstruction of full-thickness defects of the cheek and lips after—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
Carbon dioxide and oxygen inhalation, Sudden sensori-neural hearing loss treated by—M. S. Bahgat and P. M. Shenoi. *Clin. Rec.*, 73.

Carbon dioxide laser, Resection of the tongue with the—J. A. S. Carruth. *Orig. Art.*, 529.
Carcinoma, head and neck, with Adriamycin and Bleomycin using adjuvant hyperthermia, The treatment of—H. D. Fairman. *Orig. Art.*, 251.
Carcinoma in a calcified pleomorphic adenoma of the submandibular gland—L. F. Grymer, K. Jørgensen and C. Lund. *Clin. Rec.*, 373.
Carcinoma, Malakoplakia of the nasopharynx associated with—M. McCormick and A. H. Timme. *Clin. Rec.*, 737.
Carcinoma of the ears, Bilateral basal cell—S. B. S. Mann, R. Yande, M. M. L. Arora and B. N. Dutta. *Clin. Rec.*, 951.
Carcinomas of the posterior wall of the hypopharynx, Squamous cell—C. H. Raine, P. M. Stell and J. Dalby. *Orig. Art.*, 997.
Cats, The ossicular system of—I. H. Girgis and M. Maurice. *Orig. Art.*, 195.
Cause of stridor, An unusual—N. Salama and M. Fathy. *Clin. Rec.*, 361.
Cavity, nasal, and paranasal sinuses, Malignant melanoma of the—V. Lund. *Orig. Art.*, 347.
Cavity, nasal, cervical lymph node and larynx, Late occurrence of IgD myeloma in plasmacytoma of—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
Cell, Bilateral basal, carcinoma of the ears—S. B. S. Mann, R. Yande, M. M. L. Arora and B. N. Dutta. *Clinm Rec.*, 951.
Cell, myoblastoma of the larynx, Granular—A. M. S. El-Ghazali and T. M. S. El-Ghazali. *Clin. Rec.*, 1177.
Cell, Squamous, carcinomas of the posterior wall of the hypopharynx—C. H. Raine, P. M. Stell and J. Dalby. *Orig. Art.*, 997.
Cells, outer hair, in the organ of Corti, Scanning electron microscopy of the nerve endings of the—D. Mangape and Y. Harada. *Orig. Art.*, 591.
Cervical esophagus with a segment of colon based on a long vascular pedicle, Reconstruction of,: An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
Cervical lymph node and larynx, Late occurrence of IgD myeloma in plasmacytoma of nasal cavity,—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
Cervical Thymic Cyst—B. M. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 181.
Cheek and lips after cancer surgery, A surgical technique for reconstruction of full-thickness defects of the—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
Chemodectoma of the larynx—M. P. Stearns. *Clin. Rec.*, 1181.
Chemotherapy and radiotherapy, The management of patients undergoing synchronous combined—B. M. Laskiewicz. *Orig. Art.*, 265.
Child, Nigerian, Sinus histiocytosis with massive lymphadenopathy in a—E. O. Adekeye, M. B. Edwards and G. F. Goubran. *Clin. Rec.*, 89.
Children, Nigerian, Lingual and normally located thyroid glands in—G. T. A. Ijaduola. *Clin. Rec.*, 177.
Children, Results of surgery for nasal dermoids in—P. J. Bradley. *Orig. Art.*, 627.
Children, Vocal nodules in,—aetiology and management—N. J. Kay. *Orig. Art.*, 731.
Cholesteatoma, Treatment of retraction pockets and—J. Sadé. *Orig. Art.*, 685.
Cholesteatomas and retraction pockets after obliterative surgery in ears without cholesteatoma, Post-operative—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
Cholesterol granuloma, Experimental—F. Hiraide, T. Inouye and N. Miyakogawa. *Orig. Art.*, 491.
Chondrosarcoma of the nasal septum—C. M. Bailey. *Clin. Rec.*, 459.
Chronic parotitis, The surgical treatment of—L.-E Afzelius and C.-G. Walter. *Orig. Art.*, 1131.
Cialit, A. study—A. L. Pahor, A. K. Gangopadhyay, A. J. Jones and M. J. Robertson. *Orig. Art.*, 1103.
Cigarette smoke on the tracheal mucosa of the rabbit, The effect of—H. A. Gaafer and A. H. Al-Mansour. *Orig. Art.*, 943.
Cisplatinum therapy, Rapid onset hearing loss after—P. Chapman. *Clin. Rec.*, 159.
Cochlea, Rabbit, The effect of vinblastine sulphate on the neurological elements of the—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.
Cochlear nuclei, loss of neurons in the human, Presbyacusis—A. R. Arnesen. *Orig. Art.*, 503.
Collagens of middle-ear structures and tympanosclerotic plaques, The—J. P. Birchall, K. Pearman, J. D. K. Dawes and B. Sykes. *Orig. Art.*, 797.
Colon based on a long vascular pedicle, Reconstruction of cervical esophagus with a segment of,: An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
Combined chemotherapy and radiotherapy, The management of patients undergoing synchronous—B. M. Laskiewicz. *Orig. Art.*, 265.

Computed tomography in E.N.T. practice—D. W. Proops and P. D. Phelps. *Orig. Art.*, 417.
Conductive deafness and results of revision surgery, Post-stapedectomy—K. Pearman and J. D. K. Dawes. *Orig. Art.*, 405.
Controversial second filter, and the mystery of the missing OHC afferents, Bimodal hearing, the—A. Tumarkin. *Orig. Art.*, 297.
Correction, surgical, The deflected nose—L. F. Grymer, J. Fogstrup and P. Stoksted. *Orig. Art.*, 719.
Corti, organ of, Scanning electron microscopy of the nerve endings of the outer hair cells in the—D. Mangape and Y. Harada. *Orig. Art.*, 591.
Cures of deafness, Some unusual—A. Markides. *Orig. Art.*, 479.
Cyst, Cervical thymic—B. M. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 181.

Deafened adults, A study of speech deterioration in post-lingually—R. Cowie, E. Douglas-Cowie and A. G. Kerr. *Orig. Art.*, 101.
Deafness and results of revision surgery, Post-stapedectomy conductive—K. Pearman and J. D. K. Dawes. *Orig. Art.*, 405.
Deafness, Some unusual cures of—A. Markides. *Orig. Art.*, 479.
Deafness, The social handicap of—F. E. McBrien. *Orig. Art.*, 577.
Defects of the cheek and lips after cancer surgery, A surgical technique for reconstruction of full-thickness—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
Defects, Repair of large pharyngeal,—new applications of split thickness skin grafts—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
Deflected nose—surgical correction, The—L. F. Grymer, J. Fogstrup and P. Stoksted. *Orig. Art.*, 719.
Dermoids in children, Results of surgery for nasal—P. J. Bradley. *Orig. Art.*, 627.
Deterioration, speech, in post-lingually deafened adults, A study of—R. Cowie, E. Douglas-Cowie and A. G. Kerr. *Orig. Art.*, 101.
Disease, Menière's—D. A. Adams and T. J. Wilmot. *Orig. Art.*, 705.
Disease, Menière's, an aetiological factor in, Primary basilar impression:—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
Disease, Menière's, The immediate effects of acetazolamide in—G. B. Brookes, R. A. Hodge, J. B. Booth and A. W. Morrison. *Orig. Art.*, 57.
Disease?, Menière's, yaws, syphilis or, Fluctuating hearing loss in West African and West Indian racial groups:—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
Disease, middle-ear, in a population of primary school entrants, The screening and epidemiology of—C. P. Hallett. *Orig. Art.*, 899.
Disorders in vertebral ankylosing hyperostosis, Laryngeal and pharyngeal—I. H. Girgis, N. N. Guirguis and M. Mourice. *Orig. Art.*, 659.
Distress syndrome, Middle-ear analysis in the nose/ear—W. D. McNicoll. *Orig. Art.*, 309.
Dura or fascia?, underlay or overlay, What's best in myringoplasty:—P. Packer, A. Mackendrick and M. Solar. *Orig. Art.*, 25.
Dysphagia due to pharyngeal and oesophageal lichen planus—B. M. S. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 567.

Ear canal volume measurements, Post-operative—K. Ojala, M. Sorri and P. Sipilä. *Orig. Art.*, 877.
Ear surgery, Pathology as it relates to—A. Belal, Jr. and M. Sanna. *Orig. Art.*, 1079.
Ears, Bilateral basal cell carcinoma of the—S. B. S. Mann, R. Yande, M. M. L. Arora and B. N. Dutta. *Clin. Rec.*, 951.
Ears without cholesteatoma, Post-operative cholesteatomas and retraction pockets after obliterative surgery in—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
ECG monitoring in patients submitting to tonsillectomy under local anaesthesia, Results of long-term—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
Economic value of flexible system laryngoscopy, The practical and—A. R. Welch. *Orig. Art.*, 1125.
Effect of cigarette smoke on the tracheal mucosa of the rabbit, The—H. A. Gaafar and A. H. Al-Mansour. *Orig. Art.*, 943.
Effect of nitrous oxide on middle-ear effusions, The—F. P. F. Marshall and H. R. Cable. *Ori. Art.*, 893.
Effect of vinblastine sulphate on the neurological elements of the rabbit cochlea, The—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.

Effects of acetazolamide in Menière's disease, The immediate—G. B. Brookes, R. A. Hodge, J. B. Booth and A. W. Morrison. *Orig. Art.*, 57.
Effusions, middle-ear, The effect of nitrous oxide on—F. P. F. Marshall and H. R. Cable. *Orig. Art.*, 893.
Electrical auditory stimulation in the management of profound hearing loss—J. C. Ballantyne, E. F. Evans and A. W. Morrison. *Orig. Art.*, 811.
Electron microscopy of the nerve endings of the outer hair cells in the organ of Corti, Scanning—D. Mangape and Y. Harada. *Orig. Art.*, 591.
Elements, neurological, of the rabbit cochlear, The effect of vinblastine sulphate on the—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.
Embolization in otolaryngology—D. Kingsley and A. F. O'Connor. *Orig. Art.*, 439.
Emphysema, Spontaneous laryngeal—C. M. C. Fernandes and J. Samuel. *Clin. Rec.*, 959.
E.N.G. after head injury—M. V. Kirtane, S. B. Medikeri and P. P. Karnik. *Orig. Art.*, 521.
E.N.T. practice, Computed tomography in—D. W. Proops and P. D. Phelps. *Orig. Art.*, 417.
Entity?, A true, Bacterial tracheitis—S. Davidson, Z. Barzilay, J. Yahav and E. Rubinstein. *Clin. Rec.*, 173.
Entrants, primary school, The screening and epidemiology of middle-ear disease in a population of—C. P. Hallett. *Orig. Art.*, 899.
Epidemiology of middle-ear disease in a population of primary school entrants, The screening and—C. P. Hallett. *Orig. Art.*, 899.
Esophagus with a segment of colon based on a long vascular pedicle, Reconstruction of cervical,: An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
Evaluation of six antimycotic agents, An experimental, Otomycosis:—A. Maher, A. Bassiouny, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 205.
Experimental cholesterol granuloma—F. Hiraide, T. Inouye and N. Miyakogawa. *Orig. Art.*, 491.
Experimental evaluation of six antimycotic agents, An, Otomycosis:—A. Maher, A. Bassiouny, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 205.
Experimental study in ten monkeys, An, Reconstruction of cervical esophagus with a segment of colon based on a long vascular pedicle:—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
Extensions of angiofibroma, Extra-nasopharyngeal—R. N. Patil, A. K. Agarwal, B. Prakash and P. Ghosh. *Clin. Rec.*, 1053.
Extensive solitary xanthoma of the temporal bone, associated with hyperlipoproteinaemia, An—P. J. Emery and M. Gore. *Clin. Rec.*, 451.
External auditory canal, Myoepithelioma of the—K. T. K. Chen. *Clin. Rec.*, 955.
External meatus and sensorineural hearing loss, Suction-generated noise in the—D. Katzke and G. Sesterhenn. *Clin. Rec.*, 857.
Extra-cranial tumours of the infra-temporal fossa—A. Johnson and A. G. D. Maran. *Orig. Art.*, 1017.
Extranasopharyngeal angiofibromas—S. Ali and W. I. Jones. *Clin. Rec.*, 559.
Extra-nasopharyngeal extensions of angiofibroma—R. N. Patil, A. K. Agarwal, B. Prakash and P. Ghosh. *Clin. Rec.*, 1053.

Facial nerve in acoustic neuroma surgery, The—G. D. L. Smyth, D. S. Gordon, R. Campbell and A. G. Kerr. *Orig. Art.*, 335.
Facial paralysis, Structure of human muscle in—A. Belal, Jr. *Orig. Art.*, 325.
Factor, aetiological, in Menière's disease, an, Primary basilar impression:—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
Fascia grafts, Autogenous temporalis—P. M. Shenoi. *Orig. Art.*, 801.
Fascia, pericardium and vein, Tympanic membrane grafting with—G. J. Hordijk and S. J. Rietema. *Orig. Art.*, 43.
Fascia?, underlay or overlay, dura or, What's best in myringoplasty:—P. Packer, A. Mackendrick and M. Solar. *Orig. Art.*, 25.
Feature of leukaemia, Tumour of the nose as a presenting—I. Brama, A. Goldfarb, O. Shalev and I. Ariel. *Clin. Rec.*, 83.
Fibroma, Ossifying—V. J. Lund. *Clin. Rec.*, 1141.
Fibromyxoma, Naso-pharyngeal—F. O'Connor, D. Choudhary and S. Dutt. *Clin. Rec.*, 1149.
Filter, second, and the mystery of the missing OHC afferents, Bimodal hearing, the controversial—A. Tumarkin. *Orig. Art.*, 297.
Filter, Second thoughts on the second—A. Tumarkin. *Orig. Art.*, 971.
Fistula, perilymph, An audiometric test for—J. G. Fraser and L. M. Flood. *Orig. Art.*, 513.

Flap, myocutaneous, for total pharyngeal reconstruction, Use of the latissimus dorsi—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
Flaps, osteomyocutaneous, in mandibular reconstruction, The use of—G. J. Radcliffe, S. Mady and A. D. Cheesman. *Orig. Art.*, 1043.
Flexible system laryngoscopy, The practical and economic value of—A. R. Welch. *Orig. Art.*, 1125.
Fluctuating hearing loss in West African and West Indian racial groups: yaws, syphilis or Menière's disease?—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
Footplate, stapes, with special reference to otosclerosis, Management of the—J. J. Shea. *Orig. Art.*, 383.
Formation, Articulating bone, in the rat tongue—A. P. Jayaraj. *Orig. Art.*, 665.
Fossa, infra-temporal, Extra-cranial tumours of the—A. Johnson and A. G. D. Maran. *Orig. Art.*, 1017.
Fossa, infratemporal, Swellings of the—O. H. Shaheen. *Orig. Art.*, 817.
Frontal sinus, Glass in the—J. M. Lancer. *Clin. Rec.*, 357.
Full-thickness defects of the cheek and lips after cancer surgery, A surgical technique for reconstruction of—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.

General anaesthesia, Middle-ear pressure variations during—S. H. Richards, G. O'Neill and F. Wilson. *Orig. Art.*, 883.
Gigantic obstructing laryngeal polypi—R. H. Gilman, C. S. Karmody, M. P. Fried and R. Speth. *Clin. Rec.*, 167.
Gland, parotid, Lymphomatoid granulomatosis presenting primarily in a—J. K. Jensen, C. Lund and J. Schlichting. *Clin. Rec.*, 961.
Gland, submandibular, Carcinoma in a calcified pleomorphic adenoma of the—L. F. Grymer, K. Jørgensen and C. Lund. *Clin. Rec.*, 373.
Glands, salivary, Oncocytomas of the—N. Hastrup, P. Bretlau, A. Krogdahl and H. Melchiors. *Orig. Art.*, 1027.
Glands, thyroid, in Nigerian children, Lingual and normally located—G. T. A. Ijaduola. *Clin. Rec.*, 177.
Glass in the frontal sinus—J. M. Lancer. *Clin. Rec.*, 357.
Glottoscopy, Inferior—C. I. alimbeni and E. Alajmo. *Orig. Art.*, 1013.
Graft, skin, new applications of split thickness, Repair of large pharyngeal defects—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
Grafting with fascia, pericardium and vein, Tympanic membrane—G. J. Hordijk and S. J. Rietema. *Orig. Art.*, 43.
Grafts, Autogenous temporalis fascia—P. M. Shenoi. *Orig. Art.*, 801.
Granular cell myoblastoma of the larynx—A. M. S. El-Ghazali and T. M. S. El-Ghazali. *Clin. Rec.*, 1177.
Granular myringitis—M. C. Khalifa, S. E. Fouly, A. Bassiouny and M. Kamel. *Orig. Art.*, 1099.
Granuloma, Experimental cholesterol—F. Hiraide, T. Inouye and N. Miyakogawa. *Orig. Art.*, 491.
Granuloma syndrome, McBride and the midfacial—I. Friedmann. *Orig. Art.*, 1.
Granulomatosis, Lymphomatoid, presenting primarily in a parotid gland—J. K. Jensen, C. Lund and J. Schlichting. *Clin. Rec.*, 961.
Granulomatosis, Wegener's, presenting as otitis media—B. Nicklasson and N. Stangeland. *Clin. Rec.*, 277.
Groups, racial, Fluctuating hearing loss in West African and West Indian,: yaws, syphilis or Menière's disease?—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.

Habituation of nystagmic responses to hot caloric stimulation of normal subjects, Variability and—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Shenoi. *Orig. Art.*, 599.
Haemangioendothelioma of the head and neck—I. E. Cole. *Orig. Art.*, 545.
Haemangiopericytoma of the larynx—G. Pesavento and A. Ferlito. *Clin. Rec.*, 1065.
Haemorrhage, Post tonsillectomy—D. Carmody, T. Vamadevan and S. M. Cooper. *Orig. Art.*, 635.
Hair cells in the organ of Corti, Scanning electron microscopy of the nerve endings of the outer—D. Mangape and Y. Harada. *Orig. Art.*, 591.
Handicap of deafness, The social—F. E. McBrien. *Orig. Art.*, 577.
Hazard?, A possible noise, Orthopaedic theatres:—S. A. Kamal. *Orig. Art.*, 985.
Head and neck carcinoma with Adriamycin and Bleomycin using adjuvant hyperthermia, The treatment of—H. D. Fairman. *Orig. Art.*, 251.
Head and neck Haemangioendothelioma of the—I. E. Cole. *Orig. Art.*, 545.

Head injury, E.N.G. after—M. V. Kirtane, S. B. Medikeri and P. P. Karnik. *Orig. Art.*, 521.
Hearing, Bimodal, the controversial second filter, and the mystery of the missing OHC afferents—A. Tumarkin. *Orig. Art.*, 297.
Hearing loss after Cisplatinum therapy, Rapid onset—P. Chapman. *Clin. Rec.*, 159.
Hearing loss, Electrical auditory stimulation in the management of profound—J. C. Ballantyne, E. F. Evans and A. W. Morrison. *Orig. Art.*, 811.
Hearing loss in West African and West Indian racial groups, Fluctuating,: yaws, syphilis or Menière's disease?—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
Hearing loss, Medical management of sensorineural—J. B. Booth. Part I. *Orig. Art.*, 673. Part II. *Orig. Art.*, 773.
Hearing loss, Naproxen and sudden—P. Chapman. *Clin. Rec.*, 163.
Hearing loss, Suction-generated noise in the external meatus and sensorineural—D. Katzke and G. Sesterhenn. *Clin. Rec.*, 857.
Hearing loss treated by carbon dioxide and oxygen inhalation, Sudden sensori-neural—M. S. Bahgat and P. M. Shenoi. *Clin. Rec.*, 73.
Heterotopic brain tissue in the palate—A. O. Ibekwe and S. E. Ikerionwu. *Clin. Rec.*, 1155.
Histiocytosis with massive lymphadenopathy in a Nigerian child, Sinus—E. O. Adekeye, M. B. Edwards and G. F. Goubran. *Clin. Rec.*, 89.
Hot caloric stimulation of normal subjects, Variability and habituation of nystagmic responses to—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Shenoi. *Orig. Art.*, 599.
Human cochlear nuclei, loss of neurons in the, Presbyacusis—A. R. Arnesen. *Orig. Art.*, 503.
Human muscle in facial paralysis, Structure of—A. Belal, Jr. *Orig. Art.*, 325.
Human respiratory nasal mucosa in pregnancy, The—H. Toppozada, L. Michaels, M. Toppozada, I. El-Ghazzawi, M. Talaat and S. Elwany. *Orig. Art.*, 613.
Hydrochloride, tocainide, in the treatment of tinnitus, Assessment of the value of—J.-M. Cathcart. *Orig. Art.*, 981.
Hyperlipoproteinaemia, An extensive solitary xanthoma of the temporal bone, associated with—P. J. Emery and M. Gore. *Clin. Rec.*, 451.
Hypernephroma in the tonsil, Metastatic—J. W. A. Bom and E. A. Baarsma. *Clin. Rec.*, 1159.
Hyperostosis, vertebral ankylosing, Laryngeal and pharyngeal disorders in—I. H. Girgis, N. N. Guirguis and M. Mourice. *Orig. Art.*, 659.
Hyperthermia, adjuvant, The treatment of head and neck carcinoma with Adriamycin and Bleomycin using—H. D. Fairman. *Orig. Art.*, 251.
Hypopharynx, Squamous cell carcinomas of the posterior wall of the—C. H. Raine, P. M. Stell and J. Dalby. *Orig. Art.*, 997.

IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx, Late occurrence of—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
Immediate effects of acetazolamide in Menière's disease, The—G. B. Brookes, R. A. Hodge, J. B. Booth and A. W. Morrison. *Orig. Art.*, 57.
Impression, Primary basilar,: an aetiological factor in Meniere's disease—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
Improved myringotome, An—A. Steel. *Clin. Rec.*, 1187.
Incidence and bacteriology of maxillary sinusitis in nasal polyposis, The—B. Majumdar and P. D. Bull. *Orig. Art.*, 937.
Inferior glottoscopy—C. Salimbeni and E. Alajmo. *Orig. Art.*, 1013.
Infra-temporal fossa, Extra-cranial tumours of the—A. Johnson and A. G. D. Maran. *Orig. Art.*, 1017.
Infratemporal fossa, Swellings of the—O. H. Shaheen. *Orig. Art.*, 817.
Inhalation, oxygen, Sudden sensori-neural hearing loss treated by carbon dioxide and—M. S. Bahgat and P. M. Shenoi. *Clin. Rec.*, 73.
Injury, E.N.G. after head—M. V. Kirtane, S. B. Medikeri and P. P. Karnik. *Orig. Art.*, 521.
Inverted nasal papilloma, The—S. L. Sellars and G. Rosen. *Orig. Art.*, 1109.
Inverted papilloma of the nose and paranasal sinuses, Bilateral transitional-type—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.

Large pharyngeal defects, Repair of,—new applications of split thickness skin graft—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
Laryngeal amyloidosis—C. M. C. Fernandes, D. Pirie and D. J. Pudifin. *Clin. Rec.*, 1165.

Laryngeal and pharyngeal disorders in vertebral ankylosing hyperostosis—I. H. Girgis, N. N. Guirguis and M. Mourice. *Orig. Art.*, 659.
Laryngeal emphysema, Spontaneous—C. M. C. Fernandes and J. Samuel. *Clin. Rec.*, 959.
Laryngeal polypi, Gigantic obstructing—R. H. Gilman, C. S. Karmody, M. P. Fried and R. Speth. *Clin. Rec.*, 167.
Laryngectomy, A modification of the Blom-Singer valve for restoration of voice after—A. Perry, A. D. Cheesman and R. Eden. *Orig. Art.*, 1005.
Laryngectomy and subtotal pharyngectomy, A new technique for repair after—R. P. E. Barton. *Orig. Art.*, 119.
Laryngectomy with Staffieri's method, Observations on surgical rehabilitation of the voice after—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothooft. *Orig. Art.*, 241.
Laryngoscopy, flexible system, The practical and economic value of—A. R. Welch. *Orig. Art.*, 1125.
Larynx, Chemodectoma of the—M. P. Stearns. *Clin. Rec.*, 1181.
Larynx, Granular cell myoblastoma of the—A. M. S. El-Ghazali and T. M. S. El-Ghazali. *Clin. Rec.*, 1177.
Larynx, Haemangiopericytoma of the—G. Pesavento and A. Ferlito. *Clin. Rec.*, 1065.
Larynx, Late occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
Laser, Resection of the tongue with the carbon dioxide—J. A. S. Carruth. *Orig. Art.*, 529.
Late occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
Latissimus dorsi myocutaneous flap for total pharyngeal reconstruction, Use of the—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
Law, Semon's, a century later—J. A. Kirchner. *Orig. Art.*, 645.
Leukaemia, Tumour of the nose as a presenting feature of—I. Brama, A. Goldfarb, O. Shalev and I. Ariel. *Clin. Rec.*, 83.
Lichen planus, Dysphagia due to pharyngeal and oesophageal—B. M. S. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 567.
Lingual and normally located thyroid glands in Nigerian children—G. T. A. Ijaduola. *Clin. Rec.*, 177.
Lips after cancer surgery, A surgical technique for reconstruction of full-thickness defects of the cheek and—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
Local anaesthesia, tonsillectomy under, Results of long-term ECG monitoring in patients submitting to—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
Long-term ECG monitoring in patients submitting to tonsillectomy under local anaesthesia, Results of—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
Long vascular pedicle, Reconstruction of cervical esophagus with a segment of colon based on A,: An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
Loss of neurons in the human cochlear nuclei, Presbyacusis—A. R. Arnesen. *Orig. Art.*, 503.
Lymph node, cervical, and larynx, Late occurrence of IgD myeloma in plasmacytoma of nasal cavity,—A. Ferlito, A Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
Lymphadenopathy in a Nigerian child, Sinus histiocytosis with massive—E. O. Adekeye, M. B. Edwards and G. F. Goubran. *Clin. Rec.*, 89.
Lymphomatoid granulomatosis presenting primarily in a parotid gland—J. K. Jensen, C. Lund and J. Schlichting. *Clin. Rec.*, 961.

Malakoplakia of the nasopharynx associated with carcinoma—M. McCormick and A. H. Timme. *Clin. Rec.*, 737.
Malignant melanoma of the nasal cavity and paranasal sinuses—V. Lund. *Orig. Art.*, 347.
Management of patients undergoing synchronous combined chemotherapy and radiotherapy, The—B. M. Laskiewicz. *Orig. Art.*, 265.
Management of profound hearing loss, Electrical auditory stimulation in the—J. C. Ballantyne, E. F. Evans and A. W. Morrison. *Orig. Art.*, 811.
Management of sensorineural hearing loss, Medical—J. B. Booth. Part I. *Orig. Art.*, 673. Part II. *Orig. Art.*, 773.
Management of the stapes footplate with special reference to otosclerosis—J. J. Shea. *Orig. Art.*, 383.
Management, Vocal nodules in children—aetiology and—N. J. Kay. *Orig. Art.*, 731.

Mandibular reconstruction, The use of osteomyocutaneous flaps in—G. J. Radcliffe, S. Mady and A. D. Cheesman. *Orig. Art.*, 1043.
Marsupialized (radical) mastoid, The—J. Sadé, J. Weinberg, E. Berco, M. Brown and A. Halevy. *Orig. Art.*, 869.
Massive lymphadenopathy in a Nigerian child, Sinus histiocytosis with—E. O. Adekeye, M. B. Edwards and G. F. Goubran. *Clin. Rec.*, 89.
Mastoid, The marsupialized (radical)—J. Sadé, J. Weinberg, E. Berco, M. Brown and A. Halevy. *Orig. Art.*, 869.
Maxillary sinusitis in nasal polyposis, The incidence and bacteriology of—B. Majumdar and P. D. Bull. *Orig. Art.*, 937.
McBride and the midfacial granuloma syndrome—I. Friedmann. *Orig. Art.*, 1.
Measurements, Post-operative ear canal volume—K. Ojala, M. Sorri and P. Sipilä. *Orig. Art.*, 877.
Meatus, external, and sensorineural hearing loss, Suction-generated noise in the—D. Katzke and G. Sesterhenn. *Clin. Rec.*, 857.
Medical management of sensorineural hearing loss—J. B. Booth. Part I. *Orig. Art.*, 673. Part II. *Orig. Art.*, 773.
Melanoma of the nasal cavity and paranasal sinuses, Malignant—V. Lund. *Orig. Art.*, 347.
Membrane grafting with fascia, pericardium and vein, Tympanic—G. J. Hordijk and S. J. Rietema. *Orig. Art.*, 43.
Membrane retraction and middle-ear pressure, Tympanic—H. R. Cable and S. Tadros. *Orig. Art.*, 113.
Menière's disease—D. A. Adams and T. J. Wilmot. *Orig. Art.*, 705.
Menière's disease, an aetiological factor in, Primary basilar impression:—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
Menière's disease, The immediate effects of acetazolamide in—G. B. Brookes, R. A. Hodge, J. B. Booth and A. W. Morrison. *Orig. Art.*, 57.
Menière's disease?, yaws, syphilis or, Fluctuating hearing loss in West African and West Indian racial groups:—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
Metastatic hypernephroma in the tonsil—J. W. A. Bom and E. A. Baarsma. *Clin. Rec.*, 1159.
Method, Staffieri's, Observations on surgical rehabilitation of the voice after laryngectomy with—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothooft. *Orig. Art.*, 241.
Microscopy of the nerve endings of the outer hair cells in the organ of Corti, Scanning electron—D. Mangape and Y. Harada. *Orig. Art.*, 591.
Middle-ear analysis in the nose/ear distress syndrome—W. D. McNicoll. *Orig. Art.*, 309.
Middle-ear disease in a population of primary school entrants, The screening and epidemiology of—C. P. Hallett. *Orig. Art.*, 899.
Middle-ear effusions, The effect of nitrous oxide on—F. P. F. Marshall and H. R. Cable. *Orig. Art.*, 893.
Middle-ear pressure, Tympanic membrane retraction and—H. R. Cable and S. Tadros. *Orig. Art.*, 113.
Middle-ear pressure variations during general anaesthesia—S. H. Richards, G. O'Neill and F. Wilson. *Orig. Art.*, 883.
Middle-ear structures and tympanosclerotic plaques, The collagens of—J. P. Birchall, K. Pearman, J. D. K. Dawes and B. Sykes. *Orig. Art.*, 797.
Middle-ear surgery, When not to do—D. Plester. *Orig. Art.*, 585.
Midfacial granuloma syndrome, McBride and the—I. Friedmann. *Orig. Art.*, 1.
Missing OHC afferents, Bimodal hearing, the controversial second filter, and the mystery of the—A. Tumarkin. *Orig. Art.*, 297.
Modification of the Blom-Singer valve for restoration of voice after laryngectomy, A—A. Perry, A. D. Cheesman and R. Eden. *Orig. Art.*, 1005.
Monitoring, ECG, in patients submitting to tonsillectomy under local anaesthesia, Results of long-term—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
Monkeys, An experimental study in ten, Reconstruction of cervical esophagus with a segment of colon based on a long vascular pedicle:—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
Mucosa, nasal, in pregnancy, The human respiratory—H. Toppozada, L. Michaels, M. Toppozada, I. El-Ghazzawi, M. Talaat and S. Elwany. *Orig. Art.*, 613.
Mucosa, tracheal, of the rabbit, The effect of cigarette smoke on the—H. A. Gaafar and A. H. Al-Mansour. *Orig. Art.*, 943.
Muscle in facial paralysis, Structure of human—A. Belal, Jr. *Orig. Art.*, 325.

Myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx, Late occurrence of IgD—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
Myoblastoma of the larynx, Granular cell—A. M. S. El-Ghazali and T. M. S. El-Ghazali. *Clin. Rec.*, 1177.
Myocutaneous flap for total pharyngeal reconstruction, Use of the latissimus dorsi—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
Myoepithelioma of the external auditory canal—K. T. K. Chen. *Clin. Rec.*, 955.
Myringitis, Granular—M. C. Khalifa, S. E. Fouly, A. Bassiouny and M. Kamel. *Orig. Art.*, 1099.
Myringoplasty—A. G. Gibb and S.-K. Chang. *Orig. Art.*, 915.
Myringoplasty, What's best in,: underlay or overlay, dura or fascia?—P. Packer, A. Mackendrick and M. Solar. *Orig. Art.*, 25.
Myringotome, An improved—A. Steel. *Clin. Rec.*, 1187.
Mystery of the missing OHC afferents, Bimodal hearing, the controversial second filter, and the—A. Tumarkin. *Orig. Art.*, 297.

Naproxen and sudden hearing loss—P. Chapman. *Clin. Rec.*, 163.
Nasal cavity and paranasal sinuses, Malignant melanoma of the—V. Lund. *Orig. Art.*, 347.
Nasal cavity, cervical lymph node and larynx, Late occurrence of IgD myeloma in plasmacytoma of—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
Nasal dermoids in children, Results of surgery for—P. J. Bradley. *Orig. Art.*, 627.
Nasal mucosa in pregnancy, The human respiratory—H. Toppozada, L. Michaels, M. Toppozada, I. El-Ghazzawi, M. Talaat and S. Elwany. *Orig. Art.*, 613.
Nasal papilloma, The inverted—S. L. Sellars and G. Rosen. *Orig. Art.*, 1109.
Nasal polyposis, The incidence and bacteriology of maxillary sinusitis in—B. Majumdar and P. D. Bull. *Orig. Art.*, 937.
Nasal septum, Chondrosarcoma of the—C. M. Bailey. *Clin. Rec.*, 459.
Nasal septum, Repair with, Tracheal stenosis:—H. E. Porte. *Clin. Rec.*, 365.
Naso-pharyngeal fibromyxoma—F. O'Connord. Choudhary and S. Dutt. *Clin. Rec.*, 1149.
Nasopharynx associated with carcinoma, Malakoplakia of the—M. McCormick and A. H. Timme. *Clin. Rec.*, 737.
Neck carcinoma with Adriamycin and Bleomycin using adjuvant hyperthermia, The treatment of head and—H. D. Fairman. *Orig. Art.*, 251.
Neck, Haemangioendothelioma of the head and—I. E. Cole. *Orig. Art.*, 545.
Nerve endings of the outer hair cells in the organ of Corti, Scanning electron microscopy of the—D. Mangape and Y. Harada. *Orig. Art.*, 591.
Nerve, facial, in acoustic neuroma surgery, The—G. D. L. Smyth, D. S. Gordon, R. Campbell and A. G. Kerr. *Orig. Art.*, 335.
Neurological elements of the rabbit cochlea, The effect of vinblastine sulphate on the—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.
Neuroma surgery, The facial nerve in acoustic—G. D. L. Smyth, D. S. Gordon, R. Campbell and A. G. Kerr. *Orig. Art.*, 335.
Neurons in the human cochlear nuclei, loss of, Presbyacusis—A. R. Arnesen. *Orig. Art.*, 503.
New applications of split thickness skin graft, Repair of large pharyngeal defects—R. Sawyer and A. Papavisiliou. *Orig. Art.*, 125.
New technique for repair after laryngectomy and subtotal pharyngectomy, A—R. P. E. Barton. *Orig. Art.*, 119.
Nigerian child, Sinus histiocytosis with massive lymphadenopathy in a—E. O. Adekeye, M. B. Edwards and G. F. Goubran. *Clin. Rec.*, 89.
Nigerian children, Lingual and normally located thyroid glands in—G. T. A. Ijaduola. *Clin. Rec.*, 177.
Nitrous oxide on middle-ear effusions, The effect of—F. P. F. Marshall and H. R. Cable. *Orig. Art.*, 893.
Node, cervical lymph, and larynx, Late occurrence of IgD myeloma in plasmacytoma of nasal cavity,—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
Nodules in children, Vocal,—aetiology and management—N. J. Kay. *Orig. Art.*, 731.
Noise hazard?, A possible, Orthopaedic theatres:—S. A. Kamal. *Orig. Art.*, 985.
Noise in the external meatus and sensorineural hearing loss, Suction-generated—D. Katzke and G. Sesterhenn. *Clin. Rec.*, 857.
Non-invasive aatromycosis—A. Bassiouny, A. Maher, T. J. Bucci, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 215.

Normally located thyroid glands in Nigerian children, Lingual and—G. T. A. Ijaduola. *Clin. Rec.*, 177.
Nose and paranasal sinuses, Bilateral transitional-type inverted papilloma of the—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
Nose/ear distress syndrome, Middle-ear analysis in the—W. D. McNicoll. *Orig. Art.*, 309.
Nose, The deflected,—surgical correction—L. F. Grymer, J. Fogstrup and P. Stoksted. *Orig. Art.*, 719.
Nose, Tumour of the, as a presenting feature of leukaemia—I. Brama, A. Goldfarb, O. Shalev and I. Ariel. *Clin. Rec.*, 83.
Nuclei, loss of neurons in the human cochlear, Presbyacusis—A. R. Arnesen. *Orig. Art.*, 503.
Nystagmic responses to hot caloric stimulation of normal subjects, Variability and habituation of—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Shenoi. *Orig. Art.*, 599.

Obliterative surgery in ears without cholesteatoma, Post-operative cholesteatomas and retraction pockets after—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
Observations on surgical rehabilitation of the voice after laryngectomy with Staffieri's method—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothooft. *Orig. Art.*, 241.
Obstructing laryngeal polypi, Gigantic—R. H. Gilman, C. S. Karmody, M. P. Fried and R. Speth. *Clin. Rec.*, 167.
Occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx, Late—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
Oesophageal lichen planus, Dysphagia due to pharyngeal and—B. M. S. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 567.
OHC afferents, Bimodal hearing, the controversial second filter, and the mystery of the missing—A. Tumarkin. *Orig. Art.*, 297.
Oncocytomas of the salivary glands—N. Hastrup, P. Bretlau, A. Krogdahl and H. Melchiors. *Orig. Art.*, 1027.
Operation?, a worthwhile, Total rhinectomy—D. F. N. Harrison. *Orig. Art.*, 1113.
Organ of Corti, Scanning electron microscopy of the nerve endings of the outer hair cells in the—D. Mangape and Y. Harada. *Orig. Art.*, 591.
Orthopaedic theatres: A possible noise hazard?—S. A. Kamal. *Orig. Art.*, 985.
Ossicular system of cats, The—I. H. Girgis and M. Maurice. *Orig. Art.*, 195.
Ossiyfing fibroma—V. J. Lund. *Clin. Rec.*, 1141.
Osteomyocutaneous flaps in mandibular reconstruction, The use of—G. J. Radcliffe, S. Mady and A. D. Cheesman. *Orig. Art.*, 1043.
Otitis media, Wegener's granulomatosis presenting as—B. Nicklasson and N. Stangeland. *Clin. Rec.*, 277.
Otolaryngology, Embolization in—D. Kingsley and A. F. O'Connor. *Orig. Art.*, 439.
Otomycosis: An experimental evaluation of six antimycotic agents—A. Maher, A. Bassiouny, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 205.
Otosclerosis, Management of the stapes footplate with special reference to—J. J. Shea. *Orig. Art.*, 383.
Outer hair cells in the organ of Corti, Scanning electron microscopy of the nerve endings of the—D. Mangape and Y. Harada. *Orig. Art.*, 591.
Overlay, dura or fascia?, What's best in Myringoplasty: underlay or—P. Packer, A. Mackendrick and M. Solar. *Orig. Art.*, 25.
Oxygen inhalation, Sudden sensori-neural hearing loss treated by carbon dioxide and—M. S. Bahgat and P. M. Shenoi. *Clin. Rec.*, 73.

Palate, Heterotopic brain tissue in the—A. O. Ibekwe and S. E. Ikerionwu. *Clin. Rec.*, 1155.
Papilloma of the nose and paranasal sinuses, Bilateral transitional-type inverted—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
Papilloma, The inverted nasal—S. L. Sellars and G. Rosen. *Orig. Art.*, 1109.
Paralysis, facial, Structure of human muscle in—A. Belal, Jr. *Orig. Art.*, 325.
Paranasal sinuses, Bilateral transitional-type inverted papilloma of the nose and—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
Paranasal sinuses, Malignant melanoma of the nasal cavity and—V. Lund. *Orig. Art.*, 347.
Parotid gland, Lymphomatoid granulomatosis presenting primarily in a—J. K. Jensen, C. Lund and J. Schlichting. *Clin. Rec.*, 961.
Parotitis, chronic, The surgical treatment of—L.-E. Afzelius and C.-G. Walter. *Orig. Art.*, 1131.

Pathology as it relates to ear surgery—A. Belal, Jr. and M. Sanna. *Orig. Art.*, 1079.
Patients submitting to tonsillectomy under local anaesthesia, Results of long-term ECG monitoring in—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
Patients undergoing synchronous combined chemotherapy and radiotherapy, The management of—B. M. Laskiewicz. *Orig. Art.*, 265.
Pedicle, long vascular, Reconstruction of cervical esophagus with a segment of colon based on a,: An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
Pericardium and vein, Tympanic membrane grafting with fascia,—G. J. Hordijk and S. J. Rietema. *Orig. Art.*, 43.
Perilymph fistula, An audiometric test for—J. G. Fraser and L. M. Flood. *Orig. Art.*, 513.
Peritonsillar abscess—A. Tucker. *Orig. Art.*, 639.
Pharyngeal and oesophageal lichen planus, Dysphagia due to—B. M. S. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 567.
Pharyngeal defects, Repair of large,—new applications of split thickness skin graft—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
Pharyngeal disorders in vertebral ankylosing hyperostosis, Laryngeal and—I. H. Girgis, N. N. Guirguis and M. Mourice. *Orig. Art.*, 659.
Pharyngeal reconstruction, Use of the latissimus dorsi myocutaneous flap for total—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
Pharyngectomy, A new technique for repair after laryngectomy and subtotal—R. P. E. Barton. *Orig. Art.*, 119.
Plaques, tympanosclerotic, The collagens of middle-ear structures and—J. P. Birchall, K. Pearman, J. D. K. Dawes and B. Sykes. *Orig. Art.*, 797.
Plasmacytoma of nasal cavity, cervical lymph node and larynx, Late occurrence of IgD myeloma in—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
Pleomorphic adenoma of the auricle—A. Ito, T. Nakashima and M. Kitamura. *Clin. Rec.*, 1137.
Pleomorphic adenoma of the submandibular gland, Carcinoma in a calcified—L. F. Grymer, K. Jørgensen and C. Lund. *Clin. Rec.*, 373.
Pockets, retraction, after obliterative surgery in ears without cholesteatoma, Post-operative cholesteatomas and—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
Pockets, retraction, and cholesteatoma, Treatment of—J. Sadé. *Orig. Art.*, 685.
Polypi, Gigantic obstructing laryngeal—R. H. Gilman, C. S. Karmody, M. P. Fried and R. Speth. *Clin. Rec.*, 167.
Polyposis, nasal, The incidence and bacteriology of maxillary sinusitis in—B. Majumdar and P. D. Bull. *Orig. Art.*, 937.
Population of primary school entrants, The screening and epidemiology of middle-ear disease in a—C. P. Hallett. *Orig. Art.*, 899.
Porps, Torps and—A. Belal and S. Odnert. *Orig. Art.*, 49.
Possible noise hazard?, A, Orthopaedic theatres:—S. A. Kamal. *Orig. Art.*, 985.
Post-lingually deafened adults, A study of speech deterioration in—R. Cowie, E. Douglas-Cowie and A. G. Kerr. *Orig. Art.*, 101.
Post-operative cholesteatomas and retraction pockets after obliterative surgery in ears without cholesteatoma—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
Post-operative ear canal volume measurements—K. Ojala, M. Sorri and P. Sipilä. *Orig. Art.*, 877.
Post-stapedectomy conductive deafness and results of revision surgery—K. Pearman and J. D. K. Dawes. *Orig. Art.*, 405.
Post tonsillectomy haemorrhage—D. Carmody, T. Vamadevan and S. M. Cooper. *Orig. Art.*, 635.
Posterior wall of the hypopharynx, Squamous cell carcinomas of the—C. H. Raine, P. M. Stell and J. Dalby. *Orig. Art.*, 997.
Practical and economic value of flexible system laryngoscopy, The—A. R. Welch. *Orig. Art.*, 1125.
Practice, E.N.T., Computed tomography in—D. W. Proops and P. D. Phelps. *Orig. Art.*, 417.
Pregnancy, The human respiratory nasal mucosa in—H. Toppozada, L. Michaels, M. Toppozada, I. El-Ghazzawi, M. Talaat and S. Elwany. *Orig. Art.*, 613.
Presbyacusis—Loss of neurons in the human cochlear nuclei—A. R. Arnesen. *Orig. Art.*, 503.
Presenting feature of leukaemia, Tumour of the nose as a—I. Brania, A. Goldfarb, O. Shalev and I. Ariel. *Clin. Rec.*, 83.
Pressure, middle-ear, Tympanic membrane retraction and—H. R. Cable and S. Tadros. *Orig. Art.*, 113.
Pressure, Middle-ear, variations during general anaesthesia—S. H. Richards, G. O'Neill and F. Wilson. *Orig. Art.*, 883.

Primary basilar impression: an aetiological factor in Menière's disease—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
Primary school entrants, The screening and epidemiology of middle-ear disease in a population of—C. P. Hallett. *Orig. Art.*, 899.
Profound hearing loss, Electrical auditory stimulation in the management of—J. C. Ballantyne, E. F. Evans and A. W. Morrison. *Orig. Art.*, 811.

Rabbit cochlear, The effect of vinblastine sulphate on the neurological elements of the—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.
Rabbit, The effect of cigarette smoke on the tracheal mucosa of the—H. A. Gaafar and A. H. Al-Mansour. *Orig. Art.*, 943.
Racial groups, Fluctuating hearing loss in West African and West Indian,: yaws, syphilis or Menière's disease?—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
(Radical) mastoid, The marsupialized—J. Sadé, J. Weinberg, E. Berco, M. Brown and A. Halevy. *Orig. Art.*, 869.
Radiotherapy, chemotherapy and, The management of patients undergoing synchronous combined—B. M. Laskiewicz. *Orig. Art.*, 265.
Rapid onset hearing loss after Cisplatinum therapy—P. Chapman. *Clin. Rec.*, 159.
Rat tongue, Articulating bone formation in the—A. P. Jayaraj. *Orig. Art.*, 665.
Reconstruction, mandibular, The use of osteomyocutaneous flaps in—G. J. Radcliffe, S. Mady and A. D. Cheesman. *Orig. Art.*, 1043.
Reconstruction of cervical esophagus with a segment of colon based on a long vascular pedicle: An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
Reconstruction of full-thickness defects of the cheek and lips after cancer surgery, A surgical technique for—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
Reconstruction, total pharyngeal, Use of the latissimus dorsi myocutaneous flap for—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
Reference to otosclerosis, Management of the stapes footplate with special—J. J. Shea. *Orig. Art.*, 383.
Rehabilitation of the voice after laryngectomy with Staffieri's method, Observations on surgical—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothooft. *Orig. Art.*, 241.
Repair after laryngectomy and subtotal pharyngectomy, A new technique for—R. P. E. Barton. *Orig. Art.*, 119.
Repair of a subglottic stenosis by submucosal resection—S. H. Steensen and J. W. Petersen. *Clin. Rec.*, 469.
Repair of large pharyngeal defects—new applications of split thickness skin graft—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
Repair with nasal septum, Tracheal stenosis:—H. E. Porte. *Clin. Rec.*, 365.
Resection of the tongue with the carbon dioxide laser—J. A. S. Carruth. *Orig. Art.*, 529.
Resection, Repair of a subglottic stenosis by submucosal—S. H. Steensen and J. W. Petersen. *Clin. Rec.*, 469.
Respiratory nasal mucosa in pregnancy, The human—H. Toppozada, L. Michaels, M. Toppozada, I. El-Ghazzawi, M. Talaat and S. Elwany. *Orig. Art.*, 613.
Respiratory tract, Sarcoidosis of the upper, (SURT)—D. G. James, S. Barter, D. Jash, D. M. MacKinnon and L. S. Carstairs. *Orig. Art.*, 711.
Responses, nystagmic, to hot caloric stimulation of normal subjects, Variability and habituation of—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Shenoi. *Orig. Art.*, 599.
Restoration of voice after laryngectomy, A modification of the Blom-Singer valve for—A. Perry, A. D. Cheesman and R. Eden. *Orig. Art.*, 1005.
Results of long-term ECG monitoring in patients submitting to tonsillectomy under local anaesthesia—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
Results of revision surgery, Post-stapedectomy conductive deafness and—K. Pearman and J. D. K. Dawes. *Orig. Art.*, 405.
Results of surgery for nasal dermoids in children—P. J. Bradley. *Orig. Art.*, 627.
Retraction and middle-ear pressure, Tympanic membrane—H. R. Cable and S. Tadros. *Orig. Art.*, 113.
Retraction pockets after obliterative surgery in ears without cholesteatoma, Post-operative cholesteatomas and—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
Retraction pockets and cholesteatoma, Treatment of—J. Sadé. *Orig. Art.*, 685.

Revision surgery, Post-stapedectomy conductive deafness and results of—K. Pearman and J. D. K. Dawes. *Orig. Art.*, 405.
Rhinectomy, Total, a worthwhile operation?—D. F. N. Harrison. *Orig. Art.*, 1113.
Rhinomanometry and septoplasty—B. Nicklasson and L. Sundén. *Orig. Art.*, 991.
Rhinosporidiosis—N. P. von Haacke and T. A. H. Mugliston. *Clin. Rec.*, 743.

Salivary glands, Oncocytomas of the—N. Hastrup, P. Bretlau, A. Krogdahl and H. Melchiors. *Orig. Art.*, 1027.
Sarcoidosis of the upper respiratory tract (SURT)—D. G. James, S. Barter, D. Jash, D. M. MacKinnon and L. S. Carstairs. *Orig. Art.*, 711.
Scanning electron microscopy of the nerve endings of the outer hair cells in the organ of Corti—D. Mangape and Y. Harada. *Orig. Art.*, 591.
School, primary, entrants, The screening and epidemiology of middle-ear disease in a population of—C. P. Hallett. *Orig. Art.*, 899.
Science, Singing and—B. D. White. *Orig. Art.*, 141.
Screening and epidemiology of middle-ear disease in a population of primary school entrants, The—C. P. Hallett. *Orig. Art.*, 899.
Second filter, and the mystery of the missing OHC afferents, Bimodal hearing, the controversial—A. Tumarkin. *Orig. Art.*, 297.
Second thoughts on the second filter—A. Tumarkin. *Orig. Art.*, 971.
Segment of colon based on a long vascular pedicle, Reconstruction of cervical esophagus with a,: An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
Semon's law a century later—J. A. Kirchner. *Orig. Art.*, 645.
Sensorineural hearing loss, Medical management of—J. B. Booth. Part I. *Orig. Art.*, 673. Part II. *Orig. Art.*, 773.
Sensorineural hearing loss, Suction-generated noise in the external meatus and—D. Katzke and G. Sesterhenn. *Clin. Rec.*, 857.
Sensori-neural hearing loss treated by carbon dioxide and oxygen inhalation, Sudden—M. S. Bahgat and P. M. Shenoi. *Clin. Rec.*, 73.
Septoplasy, Rhinomanometry and—B. Nicklasson and L. Sundén. *Orig. Art.*, 991.
Septum, Chondrosarcoma of the nasal—C. M. Bailey. *Clin. Rec.*, 459.
Septum, Repair with nasal, Tracheal stenosis:—H. E. Porte. *Clin. Rec.*, 365.
Singing and science—B. D. White. *Orig. Art.*, 141.
Sinus, Glass in the frontal—J. M. Lancer. *Clin. Rec.*, 357.
Sinus histiocytosis with massive lymphadenopathy in a Nigerian child—E. O. Adekeye, M. B. Edwards and G. F. Goubran. *Clin. Rec.*, 89.
Sinuses, paranasal, Bilateral transitional-type inverted papilloma of the nose and—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
Sinuses, paranasal, Malignant melanoma of the nasal cavity and—V. Lund. *Orig. Art.*, 347.
Sinusitis in nasal polyposis, The incidence and bacteriology of maxillary—B. Majumdar and P. D. Bull. *Orig. Art.*, 937.
Six antimycotic agents, An experimental evaluation of, Otomycosis:—A. Maher, A. Bassiouny, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 205.
Skin graft, new applications of split-thickness, Repair of large pharyngeal defects—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
Smoke, cigarette, on the tracheal mucosa of the rabbit, The effect of—H. A. Gaafar and A. H. Al-Mansour. *Orig. Art.*, 943.
Social handicap of deafness, The—F. E. McBrien. *Orig. Art.*, 577.
Solitary xanthoma of the temporal bone, associated with hyperlipoproteinaemia, An extensive—P. J. Emery and M. Gore. *Clin. Rec.*, 451.
Speech deterioration in post-lingually deafened adults, A study of—R. Cowie, E. Douglas-Cowie and A. G. Kerr. *Orig. Art.*, 101.
Sphenoiditis, Acute, alone and in concert—S. Abramovich and G. J. C. Smelt. *Clin. Rec.*, 751.
Split thickness skin graft, new applications of, Repair of large pharyngeal defects—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
Spontaneous laryngeal emphysema—C. M. C. Fernandes and J. Samuel. *Clin. Rec.*, 959.
Squamous cell carcinomas of the posterior wall of the hypopharynx—C. H. Raine, P. M. Stell and J. Dalby. *Orig. Art.*, 997.
Staffieri's method, Observations on surgical rehabilitation of the voice after laryngectomy with—R. M. Tiwari, G. B. Snow, F. L. E. Leeluse, A. J. Greven and G. Bloothooft. *Orig. Art.*, 241.

Stapes footplate with special reference to otosclerosis, Management of the—J. J. Shea. *Orig. Art.*, 383.
Stenosis by submucosal resection, Repair of a subglottic—S. H. Steensen and J. W. Petersen. *Clin. Rec.*, 469.
Stenosis, Tracheal,: Repair with nasal septum—H. E. Porte. *Clin. Rec.*, 365.
Stimulation, Electrical auditory, in the management of profound hearing loss—J. C. Ballantyne, E. F. Evans and A. W. Morrison. *Orig. Art.*, 811.
Stimulation, hot caloric, or normal subjects, Variability and habituation of nystagmic responses to—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Shenoi. *Orig. Art.*, 599.
Stridor, An unusual cause of—N. Salama and M. Fathy. *Clin. Rec.*, 361.
Structure of human muscle in facial paralysis—A. Belal, Jr. *Orig. Art.*, 325.
Structures, middle-ear, and tympanosclerotic plaques, The collagens of—J. P. Birchall, K. Pearman, J. D. K. Dawes and B. Sykes. *Orig. Art.*, 797.
Study, A., Cialit:—A. L. Pahor, A. K. Gangopadhyay, A. J. Jones and M. J. Robertson. *Orig. Art.*, 1103.
Study in ten monkeys, An experimental, Reconstruction of cervical esophagus with a segment of colon based on a long vascular pedicle:—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
Study of speech deterioration in post-lingually deafened adults, A—R. Cowie, E. Douglas-Cowie and A. G. Kerr. *Orig. Art.*, 101.
Subglottic stenosis by submucosal resection, Repair of a—S. H. Steensen and J. W. Petersen. *Clin. Rec.*, 469.
Subjects, normal, Variability and habituation of nystagmic responses to hot caloric stimulation of—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Shenoi. *Orig. Art.*, 599.
Submandibular gland, Carcinoma in a calcified pleomorphic adenoma of the—L. F. Grymer, K. Jørgensen and C. Lund. *Clin. Rec.*, 373.
Submucosal resection, Repair of a subglottic stenosis by—S. H. Steensen and J. W. Petersen. *Clin. Rec.*, 469.
Subtotal pharyngectomy, A new technique for repair after laryngectomy and—R. P. E. Barton. *Orig. Art.*, 119.
Suction-generated noise in the external meatus and sensorineural hearing loss—D. Katzke and G. Sesterhenn. *Clin. Rec.*, 857.
Sudden hearing loss. Naproxen and—P. Chapman. *Clin. Rec.*, 163.
Sudden sensori-neural hearing loss treated by carbon dioxide and oxygen inhalation—M. S. Bahgat and P. M. Shenoi. *Clin. Rec.*, 73.
Sulphate, vinblastine, on the neurological elements of the rabbit cochlea, The effect of—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.
Surgery, cancer, A surgical technique for reconstruction of full-thickness defects of the cheek and lips after—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
Surgery, ear, Pathology as it relates to—A. Belal, Jr. and M. Sanna. *Orig. Art.*, 1079.
Surgery for nasal dermoids in children, Results of—P. J. Bradley. *Orig. Art.*, 627.
Surgery, obliterative, in ears without cholesteatoma, Post-operative cholesteatomas and retraction pockets after—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
Surgery, Post-stapedectomy conductive deafness and results of revision—K. Pearman and J. D. K. Dawes. *Orig. Art.*, 405.
Surgery, The facial nerve in acoustic neuroma—G. D. L. Smyth, D. S. Gordon, R. Campbell and A. G. Kerr. *Orig. Art.*, 335.
Surgery, When not to do middle-ear—D. Plester. *Orig. Art.*, 585.
Surgical correction, The deflected nose—L. F. Grymer, J. Fogstrup and P. Stoksted. *Orig. Art.*, 719.
Surgical rehabilitation of the voice after laryngectomy with Staffieri's method, Observations on—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothooft. *Orig. Art.*, 241.
Surgical technique for reconstruction of full-thickness defects of the cheek and lips after cancer surgery, A—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
Surgical treatment of chronic parotitis, The—L.-E. Afzelius and C.-G. Walter. *Orig. Art.*, 1131.
(SURT), Sarcoidosis of the upper respiratory tract—D. G. James, S. Barter, D. Jash, D. M. MacKinnon and L. S. Carstairs. *Orig. Art.*, 711.
Swellings of the infratemporal fossa—O. H. Shaheen. *Orig. Art.*, 817.
Synchronous combined chemotherapy and radiotherapy, The management of patients undergoing—B. M. Laskiewicz. *Orig. Art.*, 265.
Syndrome, McBride and the midfacial granuloma—I. Friedmann. *Orig. Art.*, 1.
Syndrome, nose/ear distress, Middle-ear analysis in the—W. D. McNicoll. *Orig. Art.*, 309.

Syphilis, yaws, or Menière's disease?, Fluctuating hearing loss in West African and West Indian racial groups:—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.

Technique for repair after laryngectomy and subtotal pharyngectomy, A new—R. P. E. Barton. *Orig. Art.*, 119.
Technique, surgical, for reconstruction of full-thickness defects of the cheek and lips after cancer surgery, A—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
Temporal bone, associated with hyperlipoproteinaemia, An extensive solitary xanthoma of the—P. J. Emery and M. Gore. *Clin. Rec.*, 451.
Temporalis fascia grafts, Autogenous—P. M. Shenoi. *Orig. Art.*, 801.
Test for perilymph fistula, An audiometric—J. G. Fraser and L. M. Flood. *Orig. Art.*, 513.
Theatres, Orthopaedic,: A possible noise hazard?—S. A. Kamal. *Orig. Art.*, 985.
Therapy, Cisplatinum, Rapid onset hearing loss after—P. Chapman. *Clin. Rec.*, 159.
Thoughts on the second filter, Second—A. Tumarkin. *Orig. Art.*, 971.
Thymic cyst, Cervical—B. M. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 181.
Thyroid glands in Nigerian children, Lingual and normally located—G. T. A. Ijaduola. *Clin. Rec.*, 177.
Tinnitus, Assessment of the value of tocainide hydrochloride in the treatment of—J.-M. Cathcart. *Orig. Art.*, 981.
Tissue, brain, in the palate, Heterotopic—A. O. Ibekwe and S. E. Ikerionwu. *Clin. Rec.*, 1155.
Tocainide hydrochloride in the treatment of tinnitus, Assessment of the value of—J.-M. Cathcart. *Orig. Art.*, 981.
Tomography in E.N.T. practice, Computed—D. W. Proops and P. D. Phelps. *Orig. Art.*, 417.
Tongue, rat, Articulating bone formation in the—A. P. Jayaraj. *Orig. Art.*, 665.
Tongue, Resection of the, with the carbon dioxide laser—J. A. S. Carruth. *Orig. Art.*, 529.
Tonsil, Metastatic hypernephroma in the—J. W. A. Bom and E. A. Baarsma. *Clin. Rec.*, 1159.
Tonsillectomy haemorrhage, Post—D. Carmody, T. Vamadevan and S. M. Cooper. *Orig. Art.*, 635.
Tonsillectomy under local anaesthesia, Results of long-term ECG monitoring in patients submitting to—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
Tonsillomycosis—A. Maher, A. Bassiouny, T. J. Bucci, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 229.
Torps and Porps—A. Belal and S. Odnert. *Orig. Art.*, 49.
Total pharyngeal reconstruction, Use of the latissimus dorsi myocutaneous flap for—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
Total rhinectomy—a worthwhile operation?—D. F. N. Harrison. *Orig. Art.*, 1113.
Tracheal mucosa of the rabbit, The effect of cigarette smoke on the—H. A. Gaafar and A. H. Al-Mansour. *Orig. Art.*, 943.
Tracheal stenosis: Repair with nasal septum—H. E. Porte. *Clin. Rec.*, 365.
Tracheitis, Bacterial,—A true entity?—S. Davidson, Z. Barzilay, J. Yahav and E. Rubinstein. *Clin. Rec.*, 173.
Tract, Sarcoidosis of the upper respiratory, (SURT)—D. G. James, S. Barter, D. Jash, D. M. MacKinnon and L. S. Carstairs. *Orig. Art.*, 711.
Transitional-type inverted papilloma of the nose and paranasal sinuses, Bilateral—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
Treatment of chronic parotitis, The surgical—L.-E. Afzelius and C.-G. Walter. *Orig. Art.*, 1131.
Treatment of head and neck carcinoma with Adriamycin and Bleomycin using adjuvant hyperthermia, The—H. D. Fairman. *Orig. Art.*, 251.
Treatment of retraction pockets and cholesteatoma—J. Sadé. *Orig. Art.*, 685.
Treatment of tinnitus, Assessment of the value of tocainide hydrochloride in the—J.-M. Cathcart. *Orig. Art.*, 981.
Tumour of the nose as a presenting feature of leukaemia—I. Brama, A. Goldfarb, O. Shalev and I. Ariel. *Clin. Rec.*, 83.
Tumours of the infra-temporal fossa, Extra-cranial—A. Johnson and A. G. D. Maran. *Orig. Art.*, 1017.
Tympanic membrane grafting with fascia, pericardium and vein—G. J. Hordijk and S. J. Rietema. *Orig. Art.*, 43.
Tympanic membrane retraction and middle-ear pressure—H. R. Cable and S. Tadros. *Orig. Art.*, 113.
Tympanosclerotic plaques, The collagens of middle-ear structures and—J. P. Birchall, K. Pearman, J. D. K. Dawes and B. Sykes. *Orig. Art.*, 797.

Underlay or overlay, dura or fascia?, What's best in myringoplasty:—P. Packer, A. Mackendrick and M. Solar. *Orig. Art.*, 25.
Unusual cause of stridor, An—N. Salama and M. Fathy. *Clin. Rec.*, 361.
Unusual cures of deafness, Some—A. Markides. *Orig. Art.*, 479.
Upper respiratory tract, Sarcoidosis of the, (SURT)—D. G. James, S. Barter, D. Jash, D. M. MacKinnon and L. S. Carstairs. *Orig. Art.*, 711.
Use of osteomyocutaneous flaps in mandibular reconstruction, The—G. J. Radcliffe, S. Mady and A. D. Cheesman. *Orig. Art.*, 1043.
Use of the latissimus dorsi myocutaneous flap for total pharyngeal reconstruction—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.

Value of flexible system laryngoscopy, The practical and economic—A. R. Welch. *Orig. Art.*, 1125.
Value of tocainide hydrochloride in the treatment of tinnitus, Assessment of the—J.-M. Cathcart. *Orig. Art.*, 981.
Valve, Blom-Singer, for restoration of voice after laryngectomy, A modification of the—A. Perry, A. D. Cheesman and R. Eden. *Orig. Art.*, 1005.
Variability and habituation of nystagmic responses to hot caloric stimulation of normal subjects—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Shenoi. *Orig. Art.*, 599.
Variations, Middle-ear pressure, during general anaesthesia—S. H. Richards, G. O'Neill and F. Wilson. *Orig. Art.*, 883.
Vascular pedicle, Reconstruction of cervical esophagus with a segment of colon based on a long,: An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
Vein, Tympanic membrane grafting with fascia, Pericardium and—G. J. Hordijk and S. J. Rietema. *Orig. Art.*, 43.
Vertebral ankylosing hyperostosis, Laryngeal and pharyngeal disorders in—I. H. Girgis, N. N. Guirguis and M. Mourice. *Orig. Art.*, 659.
Vinblastine sulphate on the neurological elements of the rabbit cochlea, The effect of—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.
Vocal nodules in children—aetiology and management—N. J. Kay. *Orig. Art.*, 731.
Voice after laryngectomy, A modification of the Blom-Singer valve for restoration of—A. Perry, A. D. Cheesman and R. Eden. *Orig. Art.*, 1005.
Voice after laryngectomy with Staffieri's method, Observations on surgical rehabilitation of the—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothooft. *Orig. Art.*, 241.
Volume measurements, Post-operative ear canal—K. Ojala, M. Sorri and P. Sipilä. *Orig. Art.*, 877.

Wall, posterior, of the hypopharynx, Squamous cell carcinomas of the—C. H. Raine, P. M. Stell and J. Dalby. *Orig. Art.*, 997.
Wegener's granulomatosis presenting as otitis media—B. Nicklasson and N. Stangeland. *Clin. Rec.*, 277.
West African and West Indian racial groups, Fluctuating hearing loss in,: yaws, syphilis or Menière's disease?—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
West Indian racial groups, Fluctuating hearing loss in West African and,: yaws, syphilis or Menière's disease?—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
What's best in myringoplasty: underlay or overlay, dura or fascia?—P. Packer, A. Mackendrick and M. Solar. *Orig. Art.*, 25.
When not to do middle-ear surgery—D. Plester. *Orig. Art.*, 585.
Worthwhile operation?, A, Total rhinectomy—D. F. N. Harrison. *Orig. Art.*, 1113.

Xanthoma of the temporal bone, associated with hyperlipoproteinaemia, An extensive solitary—P. J. Emery and M. Gore. *Clin. Rec.*, 451.

Yaws, syphilis or Menière's disease?, Fluctuating hearing loss in West African and West Indian racial groups:—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.